



ERGONOMIC COMFORT DESIGN
Leaders In Ergonomic Seating Solutions

PRICE LIST | August 2022

ecd

Table of Contents

About ECD and Warranty	2
Terms and Conditions	3
Alexis	5
EZ Task	7
Fast-Track	9
InMotion	11
Kyos	13
Lab Mini	15
Lab Pro	17
Lagos - 4600 Series	19
Lagos - 4700 Series	21
Logixx	23
Metropolis	25
Pursue - 3600 Series	27
Pursue - 3700 Series	29
QT	31
QTU	33
Quest	35
Quest Lite	37
Renaissance	39
Trudeau	41
Tuscany	43
Variant	45
Vive	47
Conference Seating	49
Components	51
Dimensions	53
Controls	54
Arms and Seats	55
Cylinder Heights by Chair and Control	56
Notes	58



About ECD and Warranty

Our Commitment

ECD is committed to building a product by applying the latest available technology and methods of production. ECD's Ergonomic Office Seating provides you with a healthy choice to give you the correct ergonomic solution to the needs of your high-tech working environment without sacrificing styling or design. We are also committed to professional, top-quality customer service and responsiveness to your needs, so that we may guaranty you full customer satisfaction.

Our Goal

ECD's goal is to become a leader in our industry by providing a product designed for a healthier working environment.

Our Responsiveness

ECD will strive to build product considering the users needs and evaluation of the product. Then we determine ways to implement those desired improvements. We request your help by suggesting any products or features you consider important to your particular need.

Our Warranty

Ergonomic Comfort Design makes every effort to improve the manufacturing process of its product by implementing the latest technology and method of production available with the highest standard of quality. We also take pride and pay special attention to inspect the quality of each individual unit before it is approved for shipment. In the unlikely event a product should fail, and service is deemed necessary under the warranty, Ergonomic Comfort Design warrants its product to the original retail dealer as follows:

Standard 8-Hour Use Warranty

- 10-year warranty for pneumatic cylinders, all frame parts, ratchets, bases, casters, controls, arm mechanisms, arm pads, foam, and adjustable lumbar option.
- 3 year warranty on upholstery materials such as fabric, vinyl, and leathers, under normal commercial use not to exceed a forty hour work week (COM/COL fabrics/leathers not covered.)

Intensive Use (24/7) Models (multi-shift applications) Warranty

- 5 year warranty for all frame parts, casters, bases, controls, pneumatic cylinders, and arm mechanisms.

Model 509JSXTXLS

- 1 year warranty for all components

All above warranty coverage is for parts and includes pre-approved labor reimbursement for the first 3 years. Labor is paid in the form of an account credit to the servicing dealer.

Normal wear and tear of damages from neglect, accidental or intentional are not covered under this warranty. To place a clear understanding of the warranty, contact the dealer from whom the product was purchased with proof of date of purchase. Repair or replacement of different part(s) will be made through the dealer. The cost of packaging and shipping of chair parts to and from the dealer or factory is not covered through warranty.

Terms and Conditions

Terms

Net 30 days from date of invoice. A charge of 1.5% (18% per annum) will be made on all past due accounts. Non-rated or new accounts: Payable terms C.I.A., C.O.D. on initial orders, and with a 50% deposit required on special orders.

Pricing

Prices are subject to change without notice, and are subject to ECD's pricing at the time of the order. Price quotations for special projects from the factory must be in writing and will be valid for a period of 30 days. This includes freight quotes.

Ordering Information

Phone: (951) 277-1558

The customer assumes the responsibility of supplying the correct and necessary information when placing an order. Orders placed by phone must be supported by a confirming purchase order or FAX to (951) 277-2880 before the order will be processed.

Orders may be mailed to:
Ergonomic Comfort Design, Inc.
P.O. Box 79018
Corona, CA 92877-0167

All orders must include the following information for accuracy:

- Quantity
- Catalog part number or model, fabric grade and color
- Description and special instructions
- Approximate date required
- Method of transportation
- Complete bill to and shipping address
- Purchase order number and date
- Signature of person placing order

Order Acknowledgement

All orders will be acknowledged by ECD immediately either by FAX or email after orders are entered into our system. Should the customer find any discrepancy, please notify our company for correction immediately.

Orders Put on Hold

All orders will be put on hold from production for past due accounts and filed in a suspense file until past due invoices are paid. Then the order will be rescheduled for production in the next production schedule.

Special Orders

Special orders (special modification to basic product) will be accepted only with a 50% deposit, which is non-refundable after the process of manufacturing has begun.

Customers' Own Material (C.O.M.)

C.O.M. is based on plain materials and small patterns of 54" materials.

ECD reserves the right to approve all fabric submitted.

All C.O.M materials must be shipped prepaid and marked with your company name, order number, and any special instructions. The effective date of the order is when the C.O.M. fabric is received. ECD cannot assume responsibility for the durability, flammability, or tailoring quality of the C.O.M. fabric. Since fabrics vary greatly a 12" square sample, along with any special instructions must be submitted with the purchase order before approval of the material will be given.

Freight and Will Call

All prices are F.O.B. destination, freight prepaid.

All Will Call orders should be picked up within five (5) working days of notification by ECD. If an order is not picked up within the five (5) days the order will be returned to inventory unless otherwise agreed upon. The order of the primary customer will be held in a suspense file for further instructions.

Order Changes or Cancellation

After an order has been entered into ECD's system, it may be changed or cancelled only by mutual consent and at the sole discretion of ECD.

ECD cannot accept revisions or cancellation after work has begun and fabric has been ordered. Addition to the order may cause delays in shipping. If ECD agrees to change an order after work has begun, the customer will be notified and a 30% restocking fee will be charged to the customer's account.

Freight Damages and Claims

Merchandise is carefully inspected and packed in an approved carton (when cartoning is necessary) before the product leaves the plant. Should you receive any portion the shipment in a damaged condition, either apparent or concealed, it is the duty of the consignee to accept the damaged goods and submit a claim with the delivering freight carrier to insure against loss.

This must be done within 15 calendar days of delivery. Without such inspection the transportation company will not accept a claim for damage. In the event of any carton damage, customers should retain the carton for inspection by the carrier.

Standard Production Schedule

Most orders are shipped within 3-4 weeks from the date the order is received from customers for standard fabric, leather, and vinyl selection. Orders for C.O.M. materials will not be scheduled for production until complete yardage of materials are received.

Shipping & Dispatching Information

Dealers should check with their representative or the factory for all freight rates. Residential deliveries or deliveries direct to end users can have additional charges so please contact ECD Customer Service at 951-277-1558 for exact freight quotes. Because of rapidly rising freight and fuel costs, ECD reserves the right to add surcharges or amend our freight program at any time.

Alexis Series - 200


Task Chair



Smart, Classic, Comfortable. This Alexis chair design was the result of many hours of research by corporate ergonomists along with health and safety individuals from what was then Hughes Aircraft. The Alexis Series was the first product to truly raise the ergonomic bar by adding comfort to the many necessary adjustments required for the computer intensive worker. Alexis is available in low, mid and high back with a wide variety of arm, mechanism and other options.


SNS Control

Simple Single Lever Control. Standard Cylinder is #3. Optional Seat Slider is \$88, 275 Pound Weight Capacity




LT Control

Easy 2 Lever Weight Adjusting Control with Standard Seat Slider. Standard Cylinder is #3, 350 Pound Weight Capacity.




XT Control

Full Function With Independent Seat & Back Angle Adjustment, Integrated Seat Slider. Standard Cylinder is #2 350 Pound Weight Capacity.



QA Control

Quick Adjust Control with Standard Seat Slider and Side Tension Adjustment. Standard Cylinder is #3, 350 Pound Weight Capacity.



Step 1: Low Back - Select Mechanism and Textile

	A/Com	B	C	D	E	F	G	H	I	J
202SNS	876	907	944	986	1007	1035	1076	1177	1576	2012
202JSLT	941	972	1009	1050	1073	1100	1141	1241	1641	2077
202JSXT	992	1025	1061	1103	1124	1152	1194	1294	1693	2128
202JSQA	992	1025	1061	1103	1124	1152	1194	1294	1693	2128

Step 1: Mid Back - Select Mechanism and Textile

	A/Com	B	C	D	E	F	G	H	I	J
206SNS	949	975	1015	1054	1085	1116	1162	1271	1630	2018
206JSLT	1014	1041	1080	1118	1150	1180	1227	1335	1695	2082
206JSXT	1065	1092	1132	1171	1201	1233	1278	1387	1747	2135
206JSQA	1065	1092	1132	1171	1201	1233	1278	1387	1747	2135

Step 1: High Back - Select Mechanism and Textile

	A/Com	B	C	D	E	F	G	H	I	J
209SNS	1019	1062	1112	1161	1196	1231	1288	1422	1755	2087
209JSLT	1084	1126	1176	1226	1260	1295	1353	1486	1820	2155
209JSXT	1136	1178	1229	1277	1313	1347	1405	1538	1872	2205
209JSQA	1136	1178	1229	1277	1313	1347	1405	1538	1872	2205

Step 2: Arms

No Arms	AT Arms	EP Arms	4D Arms	FA Arms	CC Arms
-143	-81	0	0	45	0

Step 3: Seat Size

Standard	Petite	Tall	Large	Extra Large
18"D x 20"W	16"D x 18"W	20"D x 20"W	19"D x 22"W	21"D x 26"W
0	0	194	253	1567

Step 4: Foam

Molded Seat Foam	Resilient Foam	Memory Seat Foam	Memory Seat Foam LG and XL
0	0	114	219

Step 5: Adjustable Lumbar

Adjustable Lumbar Support
142

Step 6: Cylinder

Low	Intermediate	Mid	Low Stool w/Foot Ring	High Stool w/Foot Ring
3" Range*	4" Range*	5" Range*	8" Range*	10" Range*
0	0	0	158	183

Step 7: Caster

Soft Caster	Carpet Caster	Braking Caster	Glides
34	0	81	34

Step 8: Base

Low Profile	High Profile	Polished Aluminum
0	0	135

Step 9: Head Rest

Pillow Head Rest	Ratchet Head Rest
152	572

Step 10: Other Options

Tailbone Seat Cutout	Special Seat or Back	CAL TB133
158	158	108



GOOD
795

202SNS-A OPAT



BETTER
1014

206JSLT-A



BEST
1278

209JSXT-A OPAL

Arms - Seat Size - Foam - Adjustable Lumbar - Cylinder - Caster - Base - Head Rest - Other Options

Build _____

Standard Feature

* See Page 57 For Detailed Dimensions

EZ-Task Series - 900

Task Chair

Office seating should be comfortable, good looking, ergonomic and affordable. ECD's EZ-Task Series is that and more. Designed for the computer-intensive user, the EZ-Task series offers adjustments such as back angle, seat height, back height and height adjustable arms. Available in two back sizes with natural lumbar support. EZ-Task is a durable, high performance chair at a practical price.



Two Paddle Control

Basic Two Lever Control for Seat Height and Back Angle Adjustment. Standard Cylinder is #3. Back Height is Adjusted with Dial at Back of Mechanism. Optional Seat Slider is \$88, 250 Pound Weight Capacity

Step 1: Low Back - Select Textile

	A/Com	B	C	D	E	F	G	H	I	J
902	750	786	824	864	895	925	967	1079	1481	1883

BEING DISCONTINUED

Step 2: Arms

No Arms	AT Arms	EP Arms	4D Arms	FA Arms	CC Arms	In/Out Brackets
-63	0	81	81	126	81	27

Step 3: Seat Size

Standard	Petite	Tall	Large	Extra Large
18"D x 20"W	16"D x 18"W	20"D x 20"W	19"D x 22"W	21"D x 26"W
0	0	Not Available	Not Available	Not Available

Step 4: Foam

Molded Seat Foam	Resilient Foam	Memory Seat Foam	Memory Seat Foam LG and XL
0	0	114	Not Available

Step 5: Adjustable Lumbar

Adjustable Lumbar Support
Not Available

Step 6: Cylinder

Low	Intermediate	Mid	Low Stool w/Foot Ring	High Stool w/Foot Ring
3" Range*	4" Range*	5" Range*	8" Range*	10" Range*
0	0	0	158	183

Step 7: Caster

Soft Caster	Carpet Caster	Braking Caster	Glides
34	0	81	34

Step 8: Base

Low Profile	High Profile	Polished Aluminum
0	0	135

Step 9: Head Rest

Pillow Head Rest	Ratchet Head Rest
Not Available	Not Available

Step 10: Other Options

Tailbone Seat Cutout	Special Seat or Back	CAL TB133
Not Available	Not Available	108



GOOD

750

902-A

Arms - Foam - Cylinder - Caster - Base - Other Options

Build _____ - _____ - _____ - _____ - _____ - _____

Standard Feature

* See Page 57 For Detailed Dimensions

Fast Track Series - 300

Task Chair

In a rapidly changing office environment where speed, efficiency and comfort are essential, Fast-Track is today's ergonomic answer. Fast-Track offers clean, transitional design and soft yet supportive feel. The Fast-Track incorporates our basic control for adjustability at an affordable price.



Two Paddle Control

Basic Two Lever Control for Seat Height and Back Angle Adjustment . Standard Cylinder is #3. Back Height is Adjusted with Dial at Back of Mechanism. Optional Seat Slider is \$88, 250 Pound Weight Capacity

Step 1: Mid Back - Select Textile

A/Com		B	C	D	E	F	G	H	I	J
306	763	795	831	866	893	921	957	1055	1398	1743

BEING DISCONTINUED

Step 2: Arms

No Arms	AT Arms	EP Arms	4D Arms	FA Arms	CC Arms	In/Out Brackets
-63	0	81	81	126	81	27

Step 3: Seat Size

Standard	Petite	Tall	Large	Extra Large
18"D x 20"W	16"D x 18"W	20"D x 20"W	19"D x 22"W	21"D x 26"W
0	0	Not Available	Not Available	Not Available

Step 4: Foam

Molded Seat Foam	Resilient Foam	Memory Seat Foam	Memory Seat Foam LG and XL
0	0	114	Not Available

Step 5: Adjustable Lumbar

Adjustable Lumbar Support

Not Available

Step 6: Cylinder

Low	Intermediate	Mid	Low Stool w/Foot Ring	High Stool w/Foot Ring
3" Range*	4" Range*	5" Range*	8" Range*	10" Range*
0	0	0	158	183

Step 7: Caster

Soft Caster	Carpet Caster	Braking Caster	Glides
34	0	81	34

Step 8: Base

Low Profile	High Profile	Polished Aluminum
0	0	135

Step 9: Head Rest

Pillow Head Rest

Not Available

Ratchet Head Rest

Not Available

Step 10: Other Options

Tailbone Seat Cutout	Special Seat or Back	CAL TB133
Not Available	Not Available	108



GOOD

763

306-A

Arms - Foam - Cylinder - Caster - Base - Other Options

Build ____ - ____ - ____ - ____ - ____ - ____

Standard Feature

* See Page 57 For Detailed Dimensions

InMotion Series – 6800

Task Chair

InMotion is a stacking or nesting flex back chair with sliding seat providing incomparable comfort and versatility. InMotion is available with or without casters, a unique flip-up arm and can be used on a five-star base for light task duties.



Step 1: Black Mesh Back – Select Textile

BLK

6800B 549

A/Com	B	C	D	E	F	G	H	I	J
6800B 648	667	708	744	772	800	841	941	1004	1376

Step 1: Grey Mesh Back – Select Textile

BLK

6800G 549

A/Com	B	C	D	E	F	G	H	I	J
6800G 648	667	708	744	772	800	841	941	1004	1376

Step 2: InMotion Options				
Glides	CAL TB133	Task Base	Low Stool w/Foot Ring	High Stool w/Foot Ring
0	56	76	158	183



Kyos Series – 5800

Task Chair

Practical, versatile, stackable, reliable. Kyos multi-use guest and stackable seating is the perfect complement to office school, church or event décor. Kyos is available as an all poly chair, with an upholstered seat or upholstered seat and back. Kyos also offers an optional mesh back.



Step 1: Black Frame and Shell No Arms – Select Textile

All Poly

5801B 279

A/Com	B	C	D	E	F	G	H	I	J
5801B 390	408	452	488	517	545	588	690	755	1135

Step 1: Grey Frame and Shell No Arms – Select Textile

All Poly

5801G 317

A/Com	B	C	D	E	F	G	H	I	J
5801G 426	444	487	524	552	581	624	727	791	1171

Step 1: Black Frame and Shell With Arms – Select Textile

All Poly

5802B 311

A/Com	B	C	D	E	F	G	H	I	J
5802B 418	437	480	517	545	573	616	718	783	1163

Step 1: Grey Frame and Shell With Arms – Select Textile

All Poly

5802G 348

A/Com	B	C	D	E	F	G	H	I	J
5802G 455	473	516	552	581	609	652	755	819	1199

Step 2: Kyos Options

Casters	CAL TB133	Ganging	Mesh Back	Felt Glide	Transport Cart
61	81	22	39	39	877





Lab Mini Series – 2200

Lab Chair

Small but comfortable, Lab Mini is the ideal solution for compact laboratory environments. The simple control on Lab Mini allows for seat and back height adjustment creating the right fit for most all users.



Two Paddle Control

Basic Two Lever Control for Seat Height and Back Angle Adjustment . Standard Cylinder is #3. Back Height is Adjusted with Dial at Back of Mechanism. Optional Seat Slider is \$88, 250 Pound Weight Capacity

Step 1: Select Textile										
	A/Com	B	C	D	E	F	G	H	I	J
2200	693	723	757	793	819	845	886	981	1350	1719



Step 2: Arms

Arms Are Not an Option on the Lab Mini

Step 3: Seat Size

Standard	Petite	Tall	Large	Extra Large
18"D x 20"W	16"D x 18"W	20"D x 20"W	19"D x 22"W	21"D x 26"W
Not Available	0	Not Available	Not Available	Not Available

Step 4: Foam

Molded Seat Foam	Resilient Foam	Memory Seat Foam	Memory Seat Foam LG and XL
Not Available	0	114	Not Available

Step 5: Adjustable Lumbar

Adjustable Lumbar Support

Not Available

Step 6: Cylinder

Low	Intermediate	Mid	Low Stool w/Foot Ring	High Stool w/Foot Ring
3" Range*	4" Range*	5" Range*	8" Range*	10" Range*
0	0	0	158	183

Step 7: Caster

Soft Caster	Carpet Caster	Braking Caster	Glides
0	0	81	34

Step 8: Base

Low Profile	High Profile	Polished Aluminum
0	0	135

Step 9: Head Rest

Pillow Head Rest	Ratchet Head Rest
Not Available	Not Available

Step 10: Other Options

Tailbone Seat Cutout	Special Seat or Back	CAL TB133
Not Available	Not Available	108



BETTER
723
2200-B

Foam - Cylinder - Caster - Base - Other Options

Build ____ - ____ - ____ - ____ - ____


Standard Feature

* See Page 57 For Detailed Dimensions

Lab Pro Series – 2300

Lab Chair

Lab Pro is our upgraded lab specific designed chair. Lab Pro utilizes a contour seat for all day comfort and our highly ergonomic XT control for maximum adjustment.



XT Control

Full Function With
Independent Seat & Back
Angle Adjustment,
Integrated Seat Slider.
Standard Cylinder is #2 300
Pound Weight Capacity.

Step 1: Select Textile

	A/Com	B	C	D	E	F	G	H	I	J
2300	729	758	791	824	840	861	895	970	1340	1709

Photos Coming Soon – We're Redesigning this Chair

**Step 2: Arms**

No Arms	AT Arms	EP Arms	4D Arms	FA Arms	CC Arms
0	170	279	343	360	Not Available

Step 3: Seat Size

Standard	Petite	Tall	Large	Extra Large
18"D x 20"W	16"D x 18"W	20"D x 20"W	19"D x 22"W	21"D x 26"W
0	0	Not Available	Not Available	Not Available

Step 4: Foam

Molded Seat Foam	Resilient Foam	Memory Seat Foam	Memory Seat Foam LG and XL
0	0	114	Not Available

Step 5: Adjustable Lumbar

Adjustable Lumbar Support

Not Available

Step 6: Cylinder

Low	Intermediate	Mid	Low Stool w/Foot Ring	High Stool w/Foot Ring
3" Range*	4" Range*	5" Range*	8" Range*	10" Range*
0	0	0	158	183

Step 7: Caster

Soft Caster	Carpet Caster	Braking Caster	Glides
0	0	81	34

Step 8: Base

Low Profile	High Profile	Polished Aluminum
0	0	135

Step 9: Head Rest

Pillow Head Rest	Ratchet Head Rest
Not Available	Not Available

Step 10: Other Options

Tailbone Seat Cutout	Special Seat or Back	CAL TB133
Not Available	Not Available	108

BETTER**758****2300-B**

Arms - Seat Size - Foam - Cylinder - Caster - Base - Other Options


Build ____ - ____ - ____ - ____ - ____ - ____ - ____

Standard Feature*** See Page 57 For Detailed Dimensions**

Lagos Series - 4600


Task Chair

Lagos Series offers sleek styling and extraordinary comfort. Lagos has a standard integrated dynamic lumbar support, 4D adjustable arms and like most ECD seating is available in multiple sizes with additional options for foam, arm and mechanisms for enhanced flexibility. Lagos is offered in black and grey frame with black mesh.



LT Control

Easy 2 Lever Weight
Adjusting Control with
Standard Seat Slider.
Standard Cylinder is #3,
350 Pound Weight
Capacity.



QA Control

Quick Adjust Control with
Standard Seat Slider and
Side Tension Adjustment.
Standard Cylinder is #3,
350 Pound Weight
Capacity.

Step 1: Black Frame - Select Mechanism and Textile

	A/Com	B	C	D	E	F	G	H	I	J
4606JSLT	885	903	945	981	1008	1036	1077	1178	1241	1611
4606JSQA	932	949	992	1028	1055	1083	1124	1224	1288	1658



Step 2: Arms

No Arms	AT Arms	EP Arms	4D Arms	FA Arms	CC Arms
-143	-81	0	0	45	0

Step 3: Seat Size

Standard	Petite	Tall	Large	Extra Large
18"D x 19"W	16"D x 18"W	20"D x 20"W	19"D x 22"W	21"D x 26"W
0	0	194	253	Not Available

Step 4: Foam

Molded Seat Foam	Resilient Foam	Memory Seat Foam	Memory Seat Foam LG
0	0	114	219

Step 5: Adjustable Lumbar

Adjustable Lumbar Support

Standard Integrated

Step 6: Cylinder

Low	Intermediate	Mid	Low Stool w/Foot Ring	High Stool w/Foot Ring
3" Range*	4" Range*	5" Range*	8" Range*	10" Range*
0	0	0	158	183

Step 7: Caster

Soft Caster	Carpet Caster	Braking Caster	Glides
34	0	81	34

Step 8: Base

Low Profile	High Profile	Polished Aluminum
0	0	135

Step 9: Head Rest

Lagos Head Rest
99

Step 10: Other Options

Tailbone Seat Cutout	Special Seat	CAL TB133
158	158	56



GOOD

885

4606JSLT-A



BETTER

932

4606JSQA-A



BEST

1031

4606JSQA-A OPHR

Arms - Seat Size - Foam - Cylinder - Caster - Base - Head Rest - Other Options

Build _____ - _____ - _____ - _____ - _____ - _____ - _____ - _____

Standard Feature


* See Page 57 For Detailed Dimensions

Lagos Series - 4700

Task Chair


Lagos Series offers sleek styling and extraordinary comfort. Lagos has a standard integrated dynamic lumbar support, 3D adjustable arms and like most ECD seating is available in multiple sizes with additional options for foam, arm and mechanisms for enhanced flexibility. Lagos is offered in black and grey frame with black mesh.

LT Control



Easy 2 Lever Weight Adjusting Control with Standard Seat Slider. Standard Cylinder is #3, 350 Pound Weight Capacity.

QA Control



Quick Adjust Control with Standard Seat Slider and Side Tension Adjustment. Standard Cylinder is #3, 350 Pound Weight Capacity.

Step 1: Grey Frame - Select Mechanism and Textile

	A/Com	B	C	D	E	F	G	H	I	J
4706JSLT	981	999	1040	1076	1104	1132	1174	1274	1337	1708
4706JSQA	1028	1045	1087	1123	1151	1179	1220	1321	1384	1754



Step 2: Arms					
No Arms	AT Arms	EP Arms	3D Arms	FA Arms	CC Arms
-143	-81	0	0	45	0
Step 3: Seat Size					
Standard	Petite	Tall	Large	Extra Large	
18"D x 19"W	16"D x 18"W	20"D x 20"W	19"D x 22"W	21"D x 26"W	
0	0	194	253	Not Available	
Step 4: Foam					
Molded Seat Foam	Resilient Foam	Memory Seat Foam		Memory Seat Foam LG	
0	0	114		219	
Step 5: Adjustable Lumbar					
Adjustable Lumbar Support					
Standard Integrated					
Step 6: Cylinder					
Low	Intermediate	Mid	Low Stool w/Foot Ring	High Stool w/Foot Ring	
3" Range*	4" Range*	5" Range*	8" Range*	10" Range*	
0	0	0	158	183	
Step 7: Caster					
Soft Caster	Carpet Caster	Braking Caster		Glides	
34	0	81		34	
Step 8: Base					
Low Profile	High Profile			Polished Aluminum	
0	0			135	
Step 9: Head Rest					
Lagos Head Rest					
99					
Step 10: Other Options					
Tailbone Seat Cutout	Special Seat			CAL TB133	
158	158			56	



GOOD
981

4706JSLT-A



BETTER
1028

4706JSQA-A



BEST
1127

4706JSQA-A OPHR

Arms - Seat Size - Foam - Cylinder - Caster - Base - Head Rest - Other Options

Build

___ - ___ - ___ - ___ - ___ - ___ - ___ - ___

Standard Feature


* See Page 57 For Detailed Dimensions



Logixx Series - 3150

Task Chair

Logixx was designed as a versatile task/management ergonomic chair capable of satisfying the needs of the demanding sectors of intensified workload or 24 hour continuous use. This series is offered in a standard scale fitting the 5th to 95th percentile of the population, rated to 350 pounds for 24/7 use. Logixx has an outer poly back for increased durability and protection.



XT Control
Full Function With
Independent Seat & Back
Angle Adjustment,
Integrated Seat Slider.
Standard Cylinder is #2,
350 Pound Weight
Capacity.

Step 1: Select Textile										
	A/Com	B	C	D	E	F	G	H	I	J
3156	1352	1395	1449	1502	1541	1581	1638	1782	2238	2541

Step 2: Arms

Logixx comes standard with an adjustable height and width arm with arm caps which slide inward and outward and forward and backward.

Step 2: Arms					
No Arms	AT Arms	EP Arms	4D Arms	FA Arms	CC Arms
-143	-81	0	0	45	0
Step 3: Seat Size					
Standard	Petite	Tall	Large	Extra Large	
18"D x 20"W	16"D x 18"W	20"D x 20"W	19"D x 22"W	21"D x 26"W	
0	0	194	253	1567	
Step 4: Foam					
Molded Seat Foam	Resilient Foam	Memory Seat Foam		Memory Seat Foam LG and XL	
0	0	114		219	
Step 5: Adjustable Lumbar					
Adjustable Lumbar Support					
Standard Adjustable					
Step 6: Cylinder					
Low	Intermediate	Mid	Low Stool w/Foot Ring	High Stool w/Foot Ring	
3" Range*	4" Range*	5" Range*	8" Range*	10" Range*	
0	0	0	158	183	
Step 7: Caster					
Soft Caster	Carpet Caster	Braking Caster		Glides	
0	0	81		34	
Step 8: Base					
Low Profile	High Profile			Polished Aluminum	
0	0			135	
Step 9: Head Rest					
Pillow Head Rest			Ratchet Head Rest		
Not Available			Not Available		
Step 10: Other Options					
Tailbone Seat Cutout	Special Seat or Back			CAL TB133	
Not Available	Not Available			108	



BETTER

1352

3156-A

Arms - Seat Size - Cylinder - Caster - Base - Other Options

Build ___ - ___ - ___ - ___ - ___ - ___

Standard Feature


* See Page 57 For Detailed Dimensions

Metropolis Series - 500

Task Chair

Our first priority in the development of this series was to introduce a versatile task/management ergonomic chair capable of satisfying the needs of the demanding sector of intensified workload 24 hour continuous use or 911 call centers. ECD worked closely with Pacific Bell to create this series. Metropolis is offered in large (350 pound capacity) and extra large (450 pound capacity) for the above average population.

XT Control



Full Function With
Independent Seat & Back
Angle Adjustment,
Integrated Seat Slider.
Standard Cylinder is #2,
350 (506) and 450 (509)
Pound Weight Capacity.

Step 1: Select Size and Textile

	A/Com	B	C	D	E	F	G	H	I	J
506JSXTLS	1405	1457	1516	1578	1623	1670	1739	1906	2108	2313
509JSXTXLS	2388	2470	2529	2588	2630	2678	2743	2909	3019	3297



Step 2: Arms

No Arms	AT Arms	EP Arms	4D Arms	FA Arms	CC Arms
-90	0	81	81	126	81

Step 3: Seat Size

Standard	Petite	Tall	Large	Extra Large
18"D x 20"W	16"D x 18"W	20"D x 20"W	19"D x 22"W	21"D x 26"W
Not Available	Not Available	Not Available	0	0

Step 4: Foam

Molded Seat Foam	Resilient Foam	Memory Seat Foam	Memory Seat Foam LG and XL
Not Available	0	Not Available	219

Step 5: Adjustable Lumbar

Adjustable Lumbar Support
142

Step 6: Cylinder

Low	Intermediate	Mid	Low Stool w/Foot Ring	High Stool w/Foot Ring
3" Range*	4" Range*	5" Range*	8" Range*	10" Range*
Not Available	0	Not Available	Not Available	Not Available

Step 7: Caster

Soft Caster	Carpet Caster	Braking Caster	Glides
0	0	81	34

Step 8: Base


Low Profile	High Profile	Polished Aluminum
0	Not Available	Not Available

Step 9: Head Rest

Pillow Head Rest	Ratchet Head Rest
Not Available	Not Available

Step 10: Other Options

Tailbone Seat Cutout	Special Seat or Back	CAL TB133
Not Available	Not Available	108



GOOD
1405

506JSXTLS-A



BETTER
2388

509JSXTXLS-A

Arms - Adjustable Lumbar - Caster - Other Options

Build _____ - _____ - _____ - _____


Standard Feature

* See Page 57 For Detailed Dimensions

Pursue Series - 3600


Task Chair

Pursue series is a brilliant combination of design and function at an affordable price. Pursue comes standard with an integrated lumbar support and adjustable height arms. Like most ECD seating, Pursue is available in multiple sizes with additional options for foam, arm and mechanisms for enhanced flexibility. Pursue is offered in both black and grey mesh.




SNS Control

Simple Single Lever Control. Standard Cylinder is #3. Optional Seat Slider is \$88, 275 Pound Weight Capacity



LT Control

Easy 2 Lever Weight Adjusting Control with Standard Seat Slider. Standard Cylinder is #3, 350 Pound Weight Capacity.



QA Control

Quick Adjust Control with Standard Seat Slider and Side Tension Adjustment. Standard Cylinder is #3, 350 Pound Weight Capacity.

Step 1: Black Mesh - Select Mechanism and Textile

	A/Com	B	C	D	E	F	G	H	I	J
3606SNS	584	602	644	680	708	736	777	878	940	1311
3606JSLT	639	656	699	735	762	790	831	932	995	1365
3606JSQA	685	703	745	781	808	836	878	978	1041	1412



Step 2: Arms

No Arms	AT Arms	EP Arms	4D Arms	FA Arms	CC Arms	In/Out Brackets
-63	0	81	81	126	81	27

Step 3: Seat Size

Standard	Petite	Tall	Large	Extra Large
18"D x 20"W	16"D x 18"W	20"D x 20"W	19"D x 22"W	21"D x 26"W
0	0	194	253	Not Available

Step 4: Foam

Molded Seat Foam	Resilient Foam	Memory Seat Foam	Memory Seat Foam LG
0	0	114	219

Step 5: Adjustable Lumbar

Adjustable Lumbar Support

Standard Integrated

Step 6: Cylinder

Low	Intermediate	Mid	Low Stool w/Foot Ring	High Stool w/Foot Ring
3" Range*	4" Range*	5" Range*	8" Range*	10" Range*
0	0	0	158	183

Step 7: Caster

Soft Caster	Carpet Caster	Braking Caster	Glides
34	0	81	34

Step 8: Base

Low Profile	High Profile	Polished Aluminum
0	0	135

Step 9: Head Rest

Pursue Head Rest

99

Step 10: Other Options

Tailbone Seat Cutout	Special Seat	CAL TB133
158	158	56



GOOD

584

3606SNS-A



BETTER

639

3606JSALT-A



BEST

685

3606JSQA-A

Arms - Seat Size - Foam - Cylinder - Caster - Base - Head Rest - Other Options

Build _____

Standard Feature


*See Page 57 For Detailed Dimensions

Pursue Series - 3700

Task Chair


Pursue series is a brilliant combination of design and function at an affordable price. Pursue comes standard with an integrated lumbar support and adjustable height arms. Like most ECD seating, Pursue is available in multiple sizes with additional options for foam, arm and mechanisms for enhanced flexibility. Pursue is offered in both black and grey mesh.

SNS Control




Simple Single Lever Control. Standard Cylinder is #3. Optional Seat Slider is \$88, 275 Pound Weight Capacity

LT Control



Easy 2 Lever Weight Adjusting Control with Standard Seat Slider. Standard Cylinder is #3, 350 Pound Weight Capacity.

QA Control



Quick Adjust Control with Standard Seat Slider and Side Tension Adjustment. Standard Cylinder is #3, 350 Pound Weight Capacity.

Step 1: Grey Mesh - Select Mechanism and Textile

	A/Com	B	C	D	E	F	G	H	I	J
3706SNS	584	602	644	680	708	736	777	878	940	1311
3706JSLT	639	656	699	735	762	790	831	932	995	1365
3706JSQA	685	703	745	781	808	836	878	978	1041	1412



Step 2: Arms

No Arms	AT Arms	EP Arms	4D Arms	FA Arms	CC Arms	In/Out Brackets
-63	0	81	81	126	81	27

Step 3: Seat Size

Standard	Petite	Tall	Large	Extra Large
18"D x 20"W	16"D x 18"W	20"D x 20"W	19"D x 22"W	21"D x 26"W
0	0	194	253	Not Available

Step 4: Foam

Molded Seat Foam	Resilient Foam	Memory Seat Foam	Memory Seat Foam LG
0	0	114	219

Step 5: Adjustable Lumbar

Adjustable Lumbar Support

Standard Integrated

Step 6: Cylinder

Low	Intermediate	Mid	Low Stool w/Foot Ring	High Stool w/Foot Ring
3" Range*	4" Range*	5" Range*	8" Range*	10" Range*
0	0	0	158	183

Step 7: Caster

Soft Caster	Carpet Caster	Braking Caster	Glides
34	0	81	34

Step 8: Base

Low Profile	High Profile	Polished Aluminum
0	0	135

Step 9: Head Rest

Pursue Head Rest

99

Step 10: Other Options

Tailbone Seat Cutout	Special Seat	CAL TB133
158	158	56



GOOD

584

3706SNS-A



BETTER

639

3706JSLT-A



BEST

685

3706JSQA-A

Arms - Seat Size - Foam - Cylinder - Caster - Base - Head Rest - Other Options

Build _____

Standard Feature

* See Page 57 For Detailed Dimensions


QT Series - 2900

Task Chair



QT Series adjusts fully to support both task and conference room applications. Highly engineered features for seat depth adjustment, back tilt, back angle, seat height, adjustable lumbar support and height adjustable arms are incorporated into a clean contemporary mesh back design. When you consider comfort, quality and value, QT provides a smart solution.

SNS Control




Simple Single Lever Control. Standard Cylinder is #3. Optional Seat Slider is \$88, 275 Pound Weight Capacity

LT Control



Easy 2 Lever Weight Adjusting Control with Standard Seat Slider. Standard Cylinder is #3, 350 Pound Weight Capacity.

XT Control



Full Function With Independent Seat & Back Angle Adjustment, Integrated Seat Slider. Standard Cylinder is #2, 350 Pound Weight Capacity.

QA Control



Quick Adjust Control with Standard Seat Slider and Side Tension Adjustment. Standard Cylinder is #3, 350 Pound Weight Capacity.

Step 1: Mesh Back - Select Mechanism and Textile

	A/Com	B	C	D	E	F	G	H	I	J
2906SNS	718	737	778	815	842	869	912	1011	1074	1446
2906JSLT	781	800	841	878	905	933	974	1074	1137	1508
2906JSXT	831	850	891	927	955	983	1025	1125	1187	1559
2906JSQA	831	850	891	927	955	983	1025	1125	1187	1559

Step 2: Arms

No Arms	AT Arms	EP Arms	4D Arms	FA Arms	CC Arms	In/Out Brackets
-63	0	81	81	126	81	27

Step 3: Seat Size

Standard	Petite	Tall	Large	Extra Large
18"D x 20"W	16"D x 18"W	20"D x 20"W	19"D x 22"W	21"D x 26"W
0	0	194	253	1567

Step 4: Foam

Molded Seat Foam	Resilient Foam	Memory Seat Foam	Memory Seat Foam LG and XL
0	0	114	219

Step 5: Adjustable Lumbar

Adjustable Lumbar Support

Standard Integrated

Step 6: Cylinder

Low	Intermediate	Mid	Low Stool w/Foot Ring	High Stool w/Foot Ring
3" Range*	4" Range*	5" Range*	8" Range*	10" Range*
0	0	0	158	183

Step 7: Caster

Soft Caster	Carpet Caster	Braking Caster	Glides
0	0	81	34

Step 8: Base

Low Profile	High Profile	Polished Aluminum
0	0	135

Step 9: Head Rest

QT Head Rest

99

Step 10: Other Options

Tailbone Seat Cutout	Special Seat	CAL TB133
158	158	56



GOOD

718

2906SNS-A



BETTER

781

2906JSLT-A



BEST

831

2906JSXT-A

Arms - Seat Size - Foam - Cylinder - Caster - Base - Head Rest - Other Options

Build _____ - _____ - _____ - _____ - _____ - _____ - _____

Standard Feature

* See Page 57 For Detailed Dimensions

QTU Series - 3900


Task Chair



QTU Series is the same great chair as QT but with an upholstery over the mesh providing a unique look with the comfort and breathability of mesh. Highly engineered features for seat depth adjustment, back tilt, back angle, seat height, adjustable lumbar support and height adjustable arms are incorporated into a clean contemporary mesh back design. When you consider comfort, quality and value, QTU provides a smart solution.

SNS Control

Simple Single Lever Control. Standard Cylinder is #3. Optional Seat Slider is \$88, 275 Pound Weight Capacity




LT Control

Easy 2 Lever Weight Adjusting Control with Standard Seat Slider. Standard Cylinder is #3, 350 Pound Weight Capacity.



XT Control

Full Function With Independent Seat & Back Angle Adjustment, Integrated Seat Slider. Standard Cylinder is #2, 350 Pound Weight Capacity.



QA Control

Quick Adjust Control with Standard Seat Slider and Side Tension Adjustment. Standard Cylinder is #3, 350 Pound Weight Capacity.



Step 1: Mesh Back - Select Mechanism and Textile

	A/Com	B	C	D	E	F	G	H	I	J
3906SNS	816	864	915	966	1002	1041	1098	1237	1465	1705
3906JSLT	879	927	978	1029	1065	1104	1172	1310	1538	1778
3906JSXT	929	979	1029	1080	1116	1156	1212	1351	1578	1818
3906JSQA	929	979	1029	1080	1116	1156	1212	1351	1578	1818

Step 2: Arms

No Arms	AT Arms	EP Arms	4D Arms	FA Arms	CC Arms	In/Out Brackets
-63	0	81	81	126	81	27

Step 3: Seat Size

Standard	Petite	Tall	Large	Extra Large
18"D x 20"W	16"D x 18"W	20"D x 20"W	19"D x 22"W	21"D x 26"W
0	0	194	253	1567

Step 4: Foam

Molded Seat Foam	Resilient Foam	Memory Seat Foam	Memory Seat Foam LG and XL
0	0	114	219

Step 5: Adjustable Lumbar

Adjustable Lumbar Support

Standard Integrated

Step 6: Cylinder

Low	Intermediate	Mid	Low Stool w/Foot Ring	High Stool w/Foot Ring
3" Range*	4" Range*	5" Range*	8" Range*	10" Range*
0	0	0	158	183

Step 7: Caster

Soft Caster	Carpet Caster	Braking Caster	Glides
0	0	81	34

Step 8: Base

Low Profile	High Profile	Polished Aluminum
0	0	135

Step 9: Head Rest

QTU Head Rest

99

Step 10: Other Options

Tailbone Seat Cutout	Special Seat	CAL TB133
158	158	56



GOOD
816

3906SNS-A



BETTER
879

3906JSLT-A



BEST
929

3906JSXT-A

Arms - Seat Size - Foam - Cylinder - Caster - Base - Head Rest - Other Options

Build _____ - _____ - _____ - _____ - _____ - _____ - _____


Standard Feature

* See Page 57 For Detailed Dimensions

Quest Series - 2500

Task Chair

Quest is defined as a search of pursuit made in order to obtain something. For ECD's Quest series, the pursuit was to create the most comfortable and ergonomic office chair in the industry. ECD developed this family of chairs to give each user unparalleled support and comfort. Each chair puts more support down the center of the back, in the thoracic area to keep the proper curvature of the spine while sitting properly upright.



XT Control

Full Function With
Independent Seat & Back
Angle Adjustment,
Integrated Seat Slider.
Standard Cylinder is #2,
350 Pound Weight
Capacity.

Step 1: Low Back - Select Mechanism and Textile

	A/Com	B	C	D	E	F	G	H	I	J
2502JSLPXT	1135	1167	1203	1246	1267	1296	1337	1440	1841	2282

Step 1: Mid Back - Select Mechanism and Textile

	A/Com	B	C	D	E	F	G	H	I	J
2506JSLPXT	1243	1275	1308	1346	1371	1399	1439	1537	1915	2291

Step 1: High Back - Select Mechanism and Textile

	A/Com	B	C	D	E	F	G	H	I	J
2509JSLPXT	1416	1458	1502	1544	1573	1605	1650	1852	2144	2463

Step 2: Arms

No Arms	AT Arms	EP Arms	4D Arms	FA Arms	CC Arms
-143	-81	0	0	45	0

Step 3: Seat Size

Standard	Petite	Tall	Large	Extra Large
18"D x 20"W	16"D x 18"W	20"D x 20"W	19"D x 22"W	21"D x 26"W
0	0	194	253	1567

Step 4: Foam

Molded Seat Foam	Resilient Foam	Memory Seat Foam	Memory Seat Foam XL
0	0	0	219

Step 5: Adjustable Lumbar

Adjustable Lumbar Support

Standard Adjustable

Step 6: Cylinder

Low	Intermediate	Mid	Low Stool w/Foot Ring	High Stool w/Foot Ring
3" Range*	4" Range*	5" Range*	8" Range*	10" Range*
0	0	0	158	183

Step 7: Caster

Soft Caster	Carpet Caster	Braking Caster	Glides
0	0	81	34

Step 8: Base

Low Profile	High Profile	Polished Aluminum
0	0	135

Step 9: Head Rest

Pillow Head Rest	Ratchet Head Rest
152	572

Step 10: Other Options

Tailbone Seat Cutout	Special Seat or Back	CAL TB133
158	158	108



GOOD
1135

2502JSLPXT-A



BETTER
1243

2506JSLPXT-A



BEST
1416

2509JSLPXT-A

Arms - Seat Size - Foam - Adjustable Lumbar - Cylinder - Caster - Base - Head Rest - Other Options

Build _____

Standard Feature


* See Page 57 For Detailed Dimensions

Quest Lite Series -2600

Task Chair



Quest Lite offers all of the outstanding ergonomics and comfort of Quest at a budget friendly price.



XT Control

Full Function
With
Independent Seat
& Back Angle
Adjustment,
Integrated Seat
Slider. Standard
Cylinder is #2,
350 Pound
Weight
Capacity.

Step 1: Mid Back - Select Mechanism and Textile

	A/Com	B	C	D	E	F	G	H	I	J
2606JSXT	891	939	989	1040	1076	1114	1170	1306	1530	1766

Step 1: High Back - Select Mechanism and Textile

	A/Com	B	C	D	E	F	G	H	I	J
2609JSXT	990	1037	1088	1138	1175	1213	1268	1405	1629	1865

Step 2: Arms

No Arms	AT Arms	EP Arms	4D Arms	FA Arms	CC Arms
-90	0	Not Available	Not Available	Not Available	Not Available

Step 3: Seat Size

Standard	Petite	Tall	Large	Extra Large
18"D x 20"W	16"D x 18"W	20"D x 20"W	19"D x 22"W	21"D x 26"W
0	0	Not Available	Not Available	Not Available

Step 4: Foam

Molded Seat Foam	Resilient Foam	Memory Seat Foam	Memory Seat Foam LG and XL
0	Not Available	Not Available	Not Available

Step 5: Adjustable Lumbar

Adjustable Lumbar Support
Standard Adjustable

Step 6: Cylinder

Low	Intermediate	Mid	Low Stool w/Foot Ring	High Stool w/Foot Ring
3" Range*	4" Range*	5" Range*	8" Range*	10" Range*
0	0	0	158	183

Step 7: Caster

Soft Caster	Carpet Caster	Braking Caster	Glides
34	0	81	34

Step 8: Base

Low Profile	High Profile	Polished Aluminum
0	0	135

Step 9: Head Rest

Pillow Head Rest	Ratchet Head Rest
152	572

Step 10: Other Options

Tailbone Seat Cutout	Special Seat or Back	CAL TB133
Not Available	Not Available	Not Available



BETTER
891

2606JSXT-A



BEST
990

2609JSXT-A

Arms - Seat Size - Foam - Adjustable Lumbar - Cylinder - Caster - Base - Head Rest - Other Options

Build _____

Standard Feature


*See Page 57 For Detailed Dimensions

Renaissance Series -700

Executive Task Chair



The Renaissance series is an example of something good getting even better. Today the Renaissance series with its classic styling and plush feel transcends to being the premier ergonomic executive family of chairs.



XT Control

Full Function With
Independent Seat & Back
Angle Adjustment,
Integrated Seat Slider.
Standard Cylinder is #2,
350 Pound Weight
Capacity.

Step 1: High Back Select Textile

709JSLXT	A/Com	B	C	D	E	F	G	H	I	J
	1971	1997	2117	2187	2239	2295	2373	2566	2938	3309

Step 1: High Back - Large Scale Select Textile

711JSLXT	A/Com	B	C	D	E	F	G	H	I	J
	2205	2281	2351	2423	2476	2528	2608	2801	3159	3515

Step 2: Arms

Renaissance has a standard adjustable height a
width loop arm. There is an upholstered option
available for \$179 list.

Step 2: Arms

No Arms	T Arms	EP Arms	4D Arms	FA Arms	CC Arms
-143	0	0	0	45	0

Step 3: Seat Size

Standard	Petite	Tall	Large	Extra Large
19"D x 19"W	16"D x 18"W	20"D x 20"W	19"D x 22"W	21"D x 26"W
0	Not Available	Not Available	0	Not Available

Step 4: Foam

Molded Seat Foam	Resilient Foam	Memory Seat Foam	Memory Seat Foam LG
Not Available	0	114	219

Step 5: Adjustable Lumbar

Adjustable Lumbar Support

Standard Adjustable

Step 6: Cylinder

Low	Intermediate	Mid	Low Stool w/Foot Ring	High Stool w/Foot Ring
3" Range*	4" Range*	5" Range*	8" Range*	10" Range*
0	0	0	158	183

Step 7: Caster

Soft Caster	Carpet Caster	Braking Caster	Glides
0	0	81	34

Step 8: Base

Low Profile	High Profile	Polished Aluminum
0	0	135

Step 9: Head Rest

Pillow Head Rest	Ratchet Head Rest
152	572

Step 10: Other Options

Tailbone Seat Cutout	Special Seat or Back	CAL TB133
Not Available	Not Available	108



BETTER
1971

709JSLXT-A



BEST
2536

711JSLXT-A OPUA OPPHR

Arms - Adjustable Lumbar - Cylinder - Caster - Base - Head Rest - Other Options

Build _____ - _____ - _____ - _____ - _____ - _____

Standard Feature


*See Page 57 For Detailed Dimensions

Trudeau Series - 1600

Task Chair




The Trudeau series captures the best features available all in one chair: memory foam seat, thoracic foam back cushion, great controls, EuroPivot arms that lower to allow the user easy access to the keyboard and a slim, sleek European design for a great look. Trudeau has evolved into one of our best selling series.




SNS Control

Simple Single Lever Control. Standard Cylinder is #3. Optional Seat Slider is \$88, 275 Pound Weight Capacity




LT Control

Easy 2 Lever Weight Adjusting Control with Standard Seat Slider. Standard Cylinder is #3, 350 Pound Weight Capacity.



XT Control

Full Function With Independent Seat & Back Angle Adjustment, Integrated Seat Slider. Standard Cylinder is #2, 350 Pound Weight Capacity.



QA Control

Quick Adjust Control with Standard Seat Slider and Side Tension Adjustment. Standard Cylinder is #3, 350 Pound Weight Capacity.

Step 1: Mid Back - Select Mechanism and Textile

	A/Com	B	C	D	E	F	G	H	I	J
1606SNS	1057	1090	1125	1161	1185	1216	1252	1355	1729	2105
1606JSLT	1122	1155	1191	1225	1252	1281	1319	1420	1796	2171
1606JSXT	1175	1208	1243	1279	1304	1334	1371	1471	1848	2223
1606JSQA	1175	1208	1243	1279	1304	1334	1371	1471	1848	2223

Step 1: High Back - Select Mechanism and Textile

	A/Com	B	C	D	E	F	G	H	I	J
1609SNS	1184	1229	1270	1312	1342	1375	1422	1534	1884	2231
1609JSLT	1250	1291	1336	1376	1407	1441	1487	1601	1949	2297
1609JSXT	1301	1347	1389	1429	1460	1492	1540	1652	2002	2349
1609JSQA	1301	1347	1389	1429	1460	1492	1540	1652	2002	2349

Step 2: Arms

No Arms	AT Arms	EP Arms	4D Arms	FA Arms	CC Arms
-143	-81	0	0	45	0

Step 3: Seat Size

Standard	Petite	Tall	Large	Extra Large
18"D x 20"W	16"D x 18"W	20"D x 20"W	19"D x 22"W	21"D x 26"W
0	0	194	253	1567

Step 4: Foam

Molded Seat Foam	Resilient Foam	Memory Seat Foam	Memory Seat Foam XL
0	0	0	219

Step 5: Adjustable Lumbar

Adjustable Lumbar Support
142

Step 6: Cylinder

Low	Intermediate	Mid	Low Stool w/Foot Ring	High Stool w/Foot Ring
3" Range*	4" Range*	5" Range*	8" Range*	10" Range*
0	0	0	158	183

Step 7: Caster

Soft Caster	Carpet Caster	Braking Caster	Glides
0	0	81	34

Step 8: Base

Low Profile	High Profile	Polished Aluminum
0	0	135

Step 9: Head Rest

Pillow Head Rest	Ratchet Head Rest
152	572

Step 10: Other Options

Tailbone Seat Cutout	Special Seat or Back	CAL TB133
158	158	108



GOOD
1057

1606SNS-A



BETTER
1122

1606JSLT-A



BEST
1443

1609JSXT-A OPAL

Arms - Seat Size - Foam - Adjustable Lumbar - Cylinder - Caster - Base - Head Rest - Other Options

Build _____ - _____ - _____ - _____ - _____ - _____ - _____ - _____

Standard Feature

*See Page 57 For Detailed Dimensions

Tuscany Series - 2800

Executive/Conference Chair



The Tuscany collection boldly incorporates classic design and extraordinary yet highly functional ergonomic features making these office chairs perfect for executive or conference room settings.

Syncro Control

Side Tension Syncro
Control with 2:1 Tilt.
Standard Cylinder is #2,
300 Pound Weight
Capacity.

Step 1: Mid Back - Select Textile

2816-	BLK	LGR	DGR							
	1040	1040	1040							
	A/Com	B	C	D	E	F	G	H	I	J
2816	1585	1636	1695	1754	1800	1860	1919	2080	2278	2922

Step 1: High Back - Select Textile

2819-	BLK	LGR	DGR							
	1099	1099	1099							
	A/Com	B	C	D	E	F	G	H	I	J
2819	1644	1697	1760	1822	1866	1927	1990	2156	2360	3022

Step 1: Guest - Select Textile

2812G-	BLK	LGR	DGR							
	719	719	719							
	A/Com	B	C	D	E	F	G	H	I	J
2812	1378	1430	1491	1551	1595	1657	1717	1880	2095	2734

Step 2: Arms

Tuscany comes standard with a polished
aluminum "C" arm.

Step 2: Arms

No Arms	AT Arms	EP Arms	4D Arms	FA Arms	CC Arms
-143	-81	0	0	45	0

Step 3: Seat Size

Standard	Petite	Tall	Large	Extra Large
19"D x 19"W	16"D x 18"W	20"D x 20"W	19"D x 22"W	21"D x 26"W
0	Not Available	Not Available	Not Available	Not Available

Step 4: Foam

Molded Seat Foam	Resilient Foam	Memory Seat Foam	Memory Seat Foam LG and XL
0	Not Available	Not Available	Not Available

Step 5: Adjustable Lumbar

Adjustable Lumbar Support

Not Available

Step 6: Cylinder

Low	Intermediate	Mid	Low Stool w/Foot Ring	High Stool w/Foot Ring
3" Range*	4" Range*	5" Range*	8" Range*	10" Range*
0	0	0	158	183

Step 7: Caster

Soft Caster	Carpet Caster	Braking Caster	Glides
0	0	81	34

Step 8: Base

Low Profile	High Profile	Polished Aluminum
0	0	0

Step 9: Head Rest

Pillow Head Rest

Not Available

Ratchet Head Rest

Not Available

Step 10: Other Options

Tailbone Seat Cutout	Special Seat or Back	CAL TB133
Not Available	Not Available	175



GOOD

719

2812G-BLK



BETTER

1040

2816-BLK



BEST

1099

2819-BLK

Arms - Cylinder - Caster - Base - Other Options

Build _____

Standard Feature

*See Page 57 For Detailed Dimensions

Variant Series - 3000

Executive Chair

Beautiful styling combined with superior functionality and ergonomic comfort, Variant is particularly distinguished by a simple and sharp design in tune with contemporary demands. Variant's synthesis of cutting-edge design and first-rate technology will revitalize your office space.



Syncro Control

Side Tension Syncro Control with 2:1 Tilt and Integrated Seat Slide. Standard Cylinder is #2, 300 Pound Weight Capacity.

Step 1: All Mesh Chair

Mesh

3009-BLK 1358

Step 1 Mesh Back - Textile Seat Chair, Select Textile

	A/Com	B	C	D	E	F	G	H	I	J
3009	1520	1539	1581	1618	1646	1674	1717	1818	1882	2259

Step 2: Arms

Variant has standard arms with height adjustment and pivot with integrated paddles for back lock and seat height adjustment. Because of this, there are no other arm options for Variant.

Step 3: Seat Size

Standard	Petite	Tall	Large	Extra Large
19"D x 19"W	16"D x 18"W	20"D x 20"W	19"D x 22"W	21"D x 26"W
0	Not Available	Not Available	Not Available	Not Available

Step 4: Foam

Molded Seat Foam	Resilient Foam	Memory Seat Foam	Memory Seat Foam LG and XL
Not Available	With Upholstered Seat	114	Not Available

Step 5: Adjustable Lumbar

Adjustable Lumbar Support

Standard Integrated

Step 6: Cylinder

Low	Intermediate	Mid	Low Stool w/Foot Ring	High Stool w/Foot Ring
3" Range*	4" Range*	5" Range*	8" Range*	10" Range*
0	0	0	158	183

Step 7: Caster

Soft Caster	Carpet Caster	Braking Caster	Glides
0	0	81	34

Step 8: Base

Low Profile	High Profile	Polished Aluminum
0	0	0

Step 9: Head Rest

Variant Head Rest

103

Step 10: Other Options

Tailbone Seat Cutout	Special Seat or Back	CAL TB133
Not Available	Not Available	56



BETTER

1358

3009-BLK



BEST

1461

3009-BLK OPHR

Cylinder - Caster - Base - Head Rest - Other Options

Build _____ - _____ - _____ - _____ - _____

Standard Feature


*See Page 57 For Detailed Dimensions

Vive Series - 1300

Task Chair




Vive brings unparalleled comfort and function to the working environment. Never has an ergonomic series combined correct foam and form with mechanisms which support the body in multiple positions.




SNS Control

Simple Single Lever Control. Standard Cylinder is #3. Optional Seat Slider is \$88, 275 Pound Weight Capacity



LT Control

Easy 2 Lever Weight Adjusting Control with Standard Seat Slider. Standard Cylinder is #3. 350 Pound Weight Capacity.



XT Control

Full Function With Independent Seat & Back Angle Adjustment, Integrated Seat Slider. Standard Cylinder is #2, 350 Pound Weight Capacity.



QA Control

Quick Adjust Control with Standard Seat Slider and Side Tension Adjustment. Standard Cylinder is #3, 350 Pound Weight Capacity.

Step 1: Mid Back - Select Mechanism and Textile

	A/Com	B	C	D	E	F	G	H	I	J
1306SNS	831	871	920	971	1006	1044	1099	1235	1442	1687
1306JSLT	894	937	985	1034	1070	1107	1162	1298	1505	1750
1306JSXT	946	987	1035	1086	1122	1159	1214	1349	1556	1802
1306JSQA	946	987	1035	1086	1122	1159	1214	1349	1556	1802

Step 1: High Back - Select Mechanism and Textile

	A/Com	B	C	D	E	F	G	H	I	J
1309SNS	909	951	1000	1049	1086	1123	1179	1312	1521	1767
1309JSLT	972	1015	1064	1115	1150	1186	1242	1376	1585	1830
1309JSXT	1023	1067	1115	1165	1201	1238	1294	1427	1636	1881
1309JSQA	1023	1067	1115	1165	1201	1238	1294	1427	1636	1881

Step 2: Arms

No Arms	AT Arms	EP Arms	4D Arms	FA Arms	CC Arms
-90	0	81	81	126	81

Step 3: Seat Size

Standard	Petite	Tall	Large	Extra Large
18"D x 20"W	16"D x 18"W	20"D x 20"W	19"D x 22"W	21"D x 26"W
0	0	194	253	1567

Step 4: Foam

Molded Seat Foam	Resilient Foam	Memory Seat Foam	Memory Seat Foam LG and XL
0	0	114	219

Step 5: Adjustable Lumbar

Adjustable Lumbar Support
142

Step 6: Cylinder

Low	Intermediate	Mid	Low Stool w/Foot Ring	High Stool w/Foot Ring
3" Range*	4" Range*	5" Range*	8" Range*	10" Range*
0	0	0	158	183

Step 7: Caster

Soft Caster	Carpet Caster	Braking Caster	Glides
0	0	81	34

Step 8: Base

Low Profile	High Profile	Polished Aluminum
0	0	135

Step 9: Head Rest

Pillow Head Rest	Ratchet Head Rest
152	572

Step 10: Other Options


Tailbone Seat Cutout	Special Seat or Back	CAL TB133
158	158	108



GOOD

831

1306SNS-A



BETTER

894

1306JSLT-A



BEST

1023

1309JSXT-A

Arms - Seat Size - Foam - Adjustable Lumbar - Cylinder - Caster - Base - Head Rest - Other Options


Build _____ - _____ - _____ - _____ - _____ - _____ - _____ - _____

Standard Feature

* See Page 57 For Detailed Dimensions

Preconfigured Conference Seating

ECD offers an outstanding array of task seating which can easily be configured into great conference seating. The chairs below are examples of wonderful task chairs configured into simple, yet extraordinarily comfortable conference seating.



SNS Control

Simple Single Lever
Control. Standard
Cylinder is #3.
Optional Seat Slider
is \$88, 275 Pound
Weight Capacity

Model 1616C Shown

Tuscany Conference

	BLK	LGR	DGR							
2816C-BLK	874	874	874							
	A/Com	B	C	D	E	F	G	H	I	J
2816C	1421	1472	1532	1591	1634	1694	1753	1917	2111	2756
	BLK	LGR	DGR							
2819C-BLK	910	910	910							
	A/Com	B	C	D	E	F	G	H	I	J
2819C	1455	1508	1570	1632	1677	1738	1801	1965	2169	2832

QT Conference

	A/Com	B	C	D	E	F	G	H	I	J
2916C	817	834	877	913	940	968	1009	1110	1173	1543

Trudeau Conference										
1616C	A/Com	B	C	D	E	F	G	H	I	J
	997	1080	1140	1201	1246	1292	1357	1524	1785	2050
Fast Track Conference										
316C	A/Com	B	C	D	E	F	G	H	I	J
	828	859	892	927	953	981	1019	1118	1457	1801
Pursue Black Mesh Conference										
3606C	A/Com	B	C	D	E	F	G	H	I	J
	662	680	721	758	786	814	855	955	1018	1389
Pursue Grey Mesh Conference										
3706C	A/Com	B	C	D	E	F	G	H	I	J
	662	680	721	758	786	814	855	955	1018	1389

Component Price List

List Price

Arms and Arm Pads

C-300-01 R/L	Modern T Arm, Up & Down, Specify Right or Left, Does Not Include Arm Pad	69	EA
C-300-02	Width Adjustment Bracket	22	EA
C-300-17 R/L	Fold-Away Arm, Specify Right or Left, Does Not Include Arm Pad	202	EA
C-300-2 R/L	EuroPivot Arm, Specify Right or Left, Does Not Include Arm Pad	146	EA
C-300-01	Arm Pad for Modern T Arm	49	EA
C-300-06	Silhouette Arm Pad - Compatible with EuroPivot and Fold-Away	49	EA
C-300-4D R/L	4D Arm, Specify Right or Left, Includes Arm Pad	125	EA
C-300-CC R/L	Conference C Arm, Specify Right or Left	46	EA

Cylinders and Foot Ring

A-100-29	#1 Cylinder, 3" Travel - Low	94	EA
A-100-30	#2 Cylinder, 4" Travel - Intermediate	94	EA
A-100-25	#3 Cylinder, 5" Travel - Mid	94	EA
A-100-32	#4 Cylinder, 8" Travel - Low Stool	130	EA
A-100-35	#5 Cylinder, 10" Travel - High Stool	141	EA
A-100-34	Heavy Duty Cylinder	118	EA
A-100-45	20" Diameter Foot Ring	165	EA

Controls

B-200-14	Standard Control for 300 and 900 Series	213	EA
B-200-16	Extra Heavy Duty Control For Up To 450 Pound Applications XT	701	EA
B-200-20C	Control With Seat Slider	489	EA
B-200-20Y	XT Control With Seat Slider without Seat Slider	489	EA
B-200-20Q	QA Control with Seat Slider	462	EA
B-200-13	LT Control With Seat Slider	436	EA
B-200-21A	SNS Control	156	EA
B-200-37	Seat Slider	148	EA

Casters

A-100-0	50mm Hooded Carpet Caster	10	EA
A-100-02	50mm Hard Floor Braking Casters	38	EA
A-100-05	60mm Soft Casters For Hard Floor	14	EA
A-100-05A	60mm Carpet Casters	14	EA
A-100-10	38mm Glide	14	EA

Bases

A-100-15	Plastic Low Base	95	EA
A-100-16A	Polished Aluminum High Base	213	EA
A-100-20	Plastic High Base	95	EA
A-100-15B	Heavy Duty Base	141	EA

Component Price List - Continued

List Price

Seats - Prices Below Are Grade A and B Only, Please Call For Pricing on Other Textiles

S200MW	Standard Seat for Maxwell	337	EA
S20018	Petite Seat for Alexis, EZ Task, Fast-Track, Lagos, Pursue, QT, QTU, Quest Lite, Vive	337	EA
S200	Standard Seat for Alexis	337	EA
S300	Standard Seat for EZ Task, Fast-Track, Pursue, QT, QTU, Quest Lite, Vive	380	EA
S5800	Standard Seat for Kyos	135	EA
S500LS	Seat for Metropolis Large and Extra Large	473	EA
S700	Standard Seat for Renaissance	524	EA
S700LS	Large Seat for Renaissance	590	EA
S2500	Standard Seat for Quest	420	EA
S2500P	Petite Seat for Quest	420	EA
S1600	Standard Seat for Trudeau	420	EA
S1600P	Petite Seat for Trudeau	420	EA
S3150	Seat for Logixx	496	EA
S4600	Seat for Lagos	420	EA
S6800	Seat for InMotion	526	EA

Backs - Prices Below Are Grade A and B Only, Please Call For Pricing on Other Textiles


BK20018	Petite Back for Alexis	338	EA
BK200JSLB	Low Back for Alexis, EZ-Task, Quest Lite	373	EA
BK200JSMB	Mid Back for Alexis, EZ-Task, Quest Lite	430	EA
BK200JSHB	High Back for Alexis, Quest Lite	476	EA
BK300MB	Mid Back for Fast-Track, Vive	430	EA
BK300HB	High Back for Fast-Track, Vive	476	EA
BK500LSHB	Back for Metropolis	485	EA
BK700MB	Mid Back for Renaissance with Integrated Adjustable Lumbar Support	886	EA
BK700HB	High Back for Renaissance with Integrated Adjustable Lumbar Support	1171	EA
BK1600MB	Mid Back for Trudeau	430	EA
BK1600HB	High Back for Trudeau	476	EA
BK2500MB	Mid Back for Quest with Integrated Adjustable Lumbar Support	626	EA
BK2500HB	High Back for Quest with Integrated Adjustable Lumbar Support	673	EA
BK2900	Back for QT	469	EA
BK3150	Back for Logixx	537	EA
BK3900	Back for QTU	626	EA
BK3600	Back for Pursue - Black Mesh	469	EA
BK3700	Back for Pursue - Grey Mesh	469	EA
BK4600	Back for Lagos - Black Frame	563	EA
BK4700	Back for Lagos - Grey Frame	619	EA
BK5800	Back for Kyos	135	EA

Dimensions

Back Dimensions – chairs are listed by model number in alphabetical order

Chair	Model	Back Height	Back Width
Alexis Low Back	202	18"	20"
Alexis Mid Back	206	21"	20"
Alexis High Back	209	24"	20"
EZ Task Low Back	902	18"	20"
Fast-Track Mid Back	306	20"	20"
Fast-Track Mid Back	306	20"	20"
InMotion	6800	35" overall	23.5" overall
Kyos	5800	31.5" overall	23.5" overall
Lab Mini	2200	11"	18"
Lagos	4606/4706	24"	18"
Logixx	3150	24.75"	20.75"
Metropolis	506	23"	21"
Metropolis	509	23"	21"
Pursue	3606/3706	23"	17.5"
QT	2906	21"	19"
QTU	3906	21"	19"
Quest Low Back	2502	18"	20"
Quest Mid Back	2506	22"	20"
Quest High Back	2509	24"	20"
Quest Lite Mid Back	2606	22"	20"
Quest Lite High Back	2609	24"	20"
Renaissance High Back	709/711	30"	21"
Trudeau Mid Back	1606	21"	21"
Trudeau High Back	1609	26"	21"
Tuscany Mid/Guest	2812/2816	24"	19.5"
Tuscany High Back	2819	30"	19.5"
Variant	3009	23"	19.5"
Vive Mid Back	1306	22"	20"
Vive High Back	1309	24"	20"


CONTROLS



XT CONTROL

XT CONTROL FEATURES


- Back Angle -Seat Slider
- Seat Height -Micro Pitch
- Chair Tilt -Tilt Resistance



SNS CONTROL

SNS CONTROL FEATURES


- Syncro Tilt
- Seat Height
- Tilt Resistance



LT CONTROL

LT CONTROL FEATURES


- Syncro Tilt
- Seat Height
- Seat Slider



QA CONTROL

QA CONTROL FEATURES


- Syncro Tilt -Tilt Resistance
- Seat Height
- Seat Slider



DOUBLE PADDLE CONTROL

DOUBLE PADDLE FEATURES

- Back Angle -Tilt Resistance
- Seat Height



HEAVY DUTY CONTROL

HD CONTROL FEATURES

- Back Angle -Tilt Resistance
- Seat Slider
- Seat Height



BACK ANGLE

Adjusts back angle



SEAT HEIGHT

Increases/decreases seat height



SEAT SLIDER

Increases/decreases seat depth



CHAIR TILT

Adjusts seat angle



SYNCRO TILT

Locks/unlocks 2:1 syncro tilt.



FORWARD MICRO PITCH

Increases/decreases forward tilt of the seat pan



TILT RESISTANCE

Increases/decreases tilt resistance

Arm Types



AT Arm

Height adjustable with available width adjustment.



FA (Fold Away Arm)

Fold away arm with height and width adjustments.



EP (Euro Pivot Arm)

360 button controlled pivoting arm pad with height and width adjustments



Logixx (logixx Arm Pad)

Height and width adjustable arm cap. Arm cap also moves forward and backward in and out.



4D (4 Directional Arm)

Height and width adjustable with pivoting arm cap. Arm cap also moves forward and backward in and out.



Variant Arm

Three position arm pad pivot, and ratchet style height adjustment



CC (Conference Arm)

Padded urethane conference C Arm



Polished Arm

Polished aluminum arm with urethane insert


Seat Sizes

Petite



16"D x 18"W

Standard



18"D x 20"W

Tall



20"D x 20"W

Large



19"D x 22"W

Extra Large



21"D x 26"W

Cylinder Heights					
Series	Low	Intermediate	Mid	Low Stool	High Stool
Alexis-200SNS	14.75	15.75	16.75	20.75	23.25
Alexis-200JSLT	14.75	15.75	16.75	20.75	23.25
Alexis-200JSXT	17	18	19	23	25.5
Alexis-200JSQA	15.75	16.75	17.75	21.75	24.25
EZ-Task-900	14.25	15.25	16.25	20.25	22.75
Fast Track-300	14.25	15.25	16.25	20.25	22.75
InMotion-6800	X	X	X	X	X
Kyos-5800	X	X	X	X	X
Lab Mini-2200	14.25	15.25	16.25	20.25	22.75
Lagos-46/4700JSLT	X	17.5	X	X	X
Lagos-46/4700JSQA	X	17.5	X	X	X
Logixx-3150	17	18	19	23	25.5
Metropolis-506	16.25	17.25	18.25	22.25	24.75
Metropolis-509	X	20.5 -24.5	X	X	X
Pursue-36/3700SNS	16.5	17.5	18.5	22.5	25
Pursue-36/3700JSLT	16.5	17.5	18.5	22.5	25
Pursue-36/3700JSQA	17.5	18.5	19.5	23.5	26
QT/QTU-29/3900SNS	15.25	16.25	17.25	21.25	23.75
QT/QTU-29/3900JSLT	15.25	16.25	17.25	21.25	23.75
QT/QTU-29/3900JSXT	16.75	17.75	18.75	22.75	25.25
QT/QTU-29/3900JSQA	16.25	17.25	18.25	22.25	24.75
Quest-2500JSLPXT	17	18	19	23	25.5
Quest Lite-2600JSXT	16.75	17.75	18.75	22.75	25.25
Renaissance-700JSLXT	16.75	17.75	18.75	22.75	25.25
Trudeau-1600SNS	14.75	15.75	16.75	20.75	23.25
Trudeau-1600JSLT	14.75	15.75	16.75	20.75	23.25
Trudeau-1600JSXT	17	18	19	23	25.5
Trudeau-1600JSQA	15.75	16.75	17.75	21.75	24.25
Tuscany-2800	17	18	19	23	25.5
Variant-3000	X	18	X	X	X

Cylinder Heights Continued

Series	Low	Intermediate	Mid	Low Stool	High Stool
Vive-1300SNS	15.25	16.25	17.25	21.25	23.75
Vive-1300JSLT	15.25	16.25	17.25	21.25	23.75
Vive-1300JSXT	16.75	17.75	18.75	22.75	25.25
Vive-1300JSQA	16.25	17.25	18.25	22.25	24.75

Cylinder Range


Low	Intermediate	Mid	Low Stool	High Stool
3"	4"	5"	8"	10"




Notes



ERGONOMIC COMFORT DESIGN

951-277-1558 

951-277-2880 

ecdergo.com 

9140 Stellar Court #B Corona, Ca 92883 