## **ERGONOMIC COMFORT DESIGN** Leaders In Ergonomic Seating Solutions

# PRICE LIST | January 24





## Table of Contents

About CCD and \u/amanhu	2
About ECD and Warranty	2
Terms and Conditions	
Alexis	5 7
InMotion	
Куоѕ	9
Lab Mini	11
Lab Pro	13
Lagos - 4600 Series	15
Lagos - 4700 Series	17
Logixx	19
Metropolis	21 23
Pursue – 3600 Series	23
Pursue – 3700 Series	25
QT	27
QTU	29
Quest	31
Quest Lite	33
Renaissance	35
Trudeau	37
Tuscany	39
Variant	41
Vive	43
Conference Seating	45
Components	47
Dimensions	49
Arms and Seats	50
Controls	51
Cylinder Heights by Chair and Control	52
Notes	54
	· · · ·



#### **Our Commitment**

ECD is committed to building a product by applying the latest available technology and methods of production. ECD's Ergonomic Office Seating provides you with a healthy choice to give you the correct ergonomic solution to the needs of your high-tech working environment without sacrificing styling or design. We are also committed to professional, top-quality customer service and responsiveness to your needs, so that we may guaranty you full customer satisfaction.

#### Our Goal

ECD's goal is to become a leader in our industry by providing a product designed for a healthier working environment.

#### **Our Responsiveness**

ECD will strive to build product considering the users needs and evaluation of the product. Then we determine ways to implement those desired improvements. We request your help by suggesting any products or features you consider important to your particular need.

#### **Our Warranty**

Ergonomic Comfort Design makes every effort to improve the manufacturing process of its product by implementing the latest technology and method of production available with the highest standard of quality. We also take pride and pay special attention to inspect the quality of each individual unit before it is approved for shipment. In the unlikely event a product should fail, and service is deemed necessary under the warranty, Ergonomic Comfort Design warrants its product to the original retail dealer as follows:

#### **Standard 8-Hour Use Warranty**

•10-year warranty for pneumatic cylinders, all frame parts, ratchets, bases, casters, controls, arm mechanisms, arm pads, foam, and adjustable lumbar option.

•3 year warranty on upholstery materials such as fabric, vinyl, and leathers, under normal commercial use not to exceed a forty hour work week (COM/COL fabrics/leathers not covered.)

Intensive Use (24/7) Models (multi-shift applications) Warranty

•5 year warranty for all frame parts, casters, bases, controls, pneumatic cylinders, and arm mechanisms.

#### Model 509JSXTXLS

•1 year warranty for all components

All above warranty coverage is for parts and includes pre-approved labor reimbursement for the first 3 years. Labor is paid in the form of an account credit to the servicing dealer.

Normal wear and tear of damages from neglect, accidental or intentional are not covered under this warranty. To place a clear understanding of the warranty, contact the dealer from whom the product was purchased with proof of date of purchase. Repair or replacement of different part(s) will be made through the dealer. The cost of packaging and shipping of chair parts to and from the dealer or factory is not covered through warranty.



## **Terms and Conditions**

#### Terms

Net 30 days from date of invoice. A charge of 1.5% (18% per annum) will be made on all past due accounts. Non-rated or new accounts: Payable terms C.I.A., C.O.D. on initial orders, and with a 50% deposit required on special orders.

#### Pricing

Prices are subject to change without notice, and are subject to ECD's pricing at the time of the order. Price quotations for special projects from the factory must be in writing and will be valid for a period of 30 days. This includes freight quotes.

#### **Ordering Information**

Phone: (951) 277-1558 The customer assumes the responsibility of supplying the correct and necessary information when placing an order. Orders placed by phone must be supported by a confirming purchase order or FAX to (951) 277-2880 before the order will be processed.

Orders may be mailed to: Ergonomic Comfort Design, Inc. P.O. Box 79018 Corona, CA 92877-0167

#### All orders must include the following information for accuracy:

#### Quantity

Catalog part number or model, fabric grade and color
Description and special instructions

•Approximate date required

- Method of transportation
- •Complete bill to and shipping address

•Purchase order number and date

•Signature of person placing order

#### Order Acknowledgement

All orders will be acknowledged by ECD immediately either by FAX or email after orders are entered into our system. Should the customer find any discrepancy, please notify our company for correction immediately.

#### **Orders Put on Hold**

All orders will be put on hold from production for past due accounts and filed in a suspense file until past due invoices are paid. Then the order will be rescheduled for production in the next production schedule.

#### **Special Orders**

Special orders (special modification to basic product) will be accepted only with a 50% deposit, which is non-refundable after the process of manufacturing has begun.

#### Customers' Own Material (C.O.M.)

C.O.M. is based on plain materials and small patterns of 54" materials.

ECD reserves the right to approve all fabric submitted.

All C.O.M materials must be shipped prepaid and marked with your company name, order number, and any special instructions. The effective date of the order is when the C.O.M. fabric is received. ECD cannot assume responsibility for the durability, flammability, or tailoring quality of the C.O.M. fabric. Since fabrics vary greatly a 12" square sample, along with any special instructions must be submitted with the purchase order before approval of the material will be given.

## **ECD**

### Freight and Will Call

All prices are F.O.B. destination, freight prepaid.

All Will Call orders should be picked up within five (5) working days of notification by ECD. If an order is not picked up within the five (5) days the order will be returned to inventory unless otherwise agreed upon. The order of the primary customer will be held in a suspense file for further instructions.

#### Order Changes or Cancellation

After an order has been entered into ECD's system, it may be changed or cancelled only by mutual consent and at the sole discretion of ECD.

ECD cannot accept revisions or cancellation after work has begun and fabric has been ordered. Addition to the order may cause delays in shipping. If ECD agrees to change an order after work has begun, the customer will be notified and a 30% restocking fee will be charged to the customer's account.

## Freight Damages and Claims

Merchandise is carefully inspected and packed in an approved carton (when cartoning is necessary) before the product leaves the plant. Should you receive any portion the shipment in a damaged condition, either apparent or concealed, it is the duty of the consignee to accept the damaged goods and submit a claim with the delivering freight carrier to insure against loss. This must be done within 15 calendar days of delivery. Without such inspection the transportation company will not accept a claim for damage. In the event of any carton damage, customers should retain the carton for inspection by the carrier.

## Standard Production Schedule

Most orders are shipped within 3-4 weeks from the date the order is received from customers for standard fabric, leather, and vinyl selection. Orders for C.O.M. materials will not be scheduled for production until complete yardage of materials are received.

#### Shipping & Dispatching Information

Dealers should check with their representative or the factory for all freight rates. Residential deliveries or deliveries direct to end users can have additional charges so please contact ECD Customer Service at 951-277-1558 for exact freight quotes. Because of rapidly rising freight and fuel costs, ECD reserves the right to add surcharges or amend our freight program at any time.



## Alexis Series - 200 Task Chair



Smart, Classic, Comfortable. This Alexis chair design was the result of many hours of research by corporate ergonomists along with health and safety individuals from what was then Hughes Aircraft. The Alexis Series was the first product to truly raise the ergonomic bar by adding comfort to the many necessary adjustments required for the computer intensive worker. Alexis is available in low, mid and high back with a wide variety of arm, mechanism and other options.

#### Control



Cylinder is #2. **Optional Seat** Slider is \$88, Weight Capacity



Control with Standard Seat Slider. Standard Cylinder is #2, 300 Pound Weight Capacity. **XT** Control

Full Function With Independent Seat & Back Angle Adjustment, Integrated Seat Slider. Standard Cylinder is #2 300 Pound Weight Capacity.

#### **OA** Control

Quick Adjust Control with Standard Seat Slider and Side Tension Adjustment. Standard Cylinder is #2, 300 Pound Weight Capacity.

	Step 1: Low Back – Select Mechanism and Textile											
	A/Com	В	C	D	Ε	F	G	H	I	J		
202SNS	876	907	944	986	1007	1035	1076	1177	1576	2012		
202JSLT	941	972	1009	1050	1073	1100	1141	1241	1641	2077		
202JSXT	992	1025	1061	1103	1124	1152	1194	1294	1693	2128		
202JSQA	992	1025	1061	1103	1124	1152	1194	1294	1693	2128		
Step 1: Mid Back – Select Mechanism and Textile												
	A/Com	В	C	D	Ε	F	G	H	I	J		
206SNS	949	975	1015	1054	1085	1116	1162	1271	1630	2018		
206JSLT	1014	1041	1080	1118	1150	1180	1227	1335	1695	2082		
206JSXT	1065	1092	1132	1171	1201	1233	1278	1387	1747	2135		
206JSQA	1065	1092	1132	1171	1201	1233	1278	1387	1747	2135		
			Step 1: Hi	gh Back ·	- Select M	lechanis	m and Te	extile				
	A/Com	B	C	D	E	F	G	H	I	J		
209SNS	1019	1062	1112	1161	1196	1231	1288	1422	1755	2087		
209JSLT	1084	1126	1176	1226	1260	1295	1353	1486	1820	2155		
209JSXT	1136	1178	1229	1277	1313	1347	1405	1538	1872	2205		
209JSQA	1136	1178	1229	1277	1313	1347	1405	1538	1872	2205		



			Step 2: Aı	ms		
No Arms	AT Arms	<b>EP</b> Arms	Grey Arms	4D Arms	FA Arms	CC Arms
-143	-81	0	0	0	45	0
			Step 3: Sea	t Size		
Standard		Petite	Tall	Larg		Extra Large
18"D x 20"V	V 16"	D x 18"W	20"D x 20"\	V 19"D x 2	22"W	21"D x 26"W
0		0	194	253	;	1567
			Step 4: Fo			
Molded Seat Fo	am F	Resilient Foam	Men	nory Seat Foam	Memory	Seat Foam LG and X
0		0		114		219
		Ste	ep 5: Adjustab			
			Adjustable Lum	••		
			142			
			Step 6: Cyl			
Low	Intermedia		Mid	Low Stool w/Foo	•	gh Stool w/Foot Rin
3" Range*	4" Range	e* 5	5" Range*	8" Range*		10" Range*
0	0		0	158		183
			Step 7: Ca			
Soft Caster		Carpet Caster	Bi	aking Caster		Glides
34		0		81		34
			Step 8: B			
Low Profile		High Prof	ile	Grey Base	Polis	hed Aluminum
0		0		135		135
	D:11 11 1	8 1	Step 9: Hea			
	Pillow Head	Rest		Ratchet He		
	152			572		
			Step 10: Other			
ailbone Seat Cu	Itout		Special Seat or	Back		CAL TB133
158			158			108
						(-)
			T	T		T
,				-		
	GOOD		BETT	FR		BEST
	795		101			1278
2026	NS-A OPAT		206JSL		200	JSXT-A OPAL
		o Adiuctoki		r - Caster - Base -		
Arms –	Jear Size - Foan	•	-	- Jasler - Dase -		•
iu				· · ·		
	dard Feature		* See Page 49 F			



## InMotion Series - 6800 Task Chair

InMotion is a stacking or nesting flex back chair with sliding seat providing incomparable comfort and versatility. InMotion is available with soft casters or glides, a unique flip-up arm and can be used on a five-star base for light task duties.





		Step 1:	Black Me	esh Back	Nesting	- Select	Textile		
BLK			Blacktik		THEORING				
6800B 549									
A/Com	В	C	D	Ε	F	G	Н	I	J
6800B 648	667	708	744	772	800	841	941	1004	1376
		Step 1:	<b>Grey Me</b>	<u>esh Back</u>	Nesting	<u>- Select</u>	Textile		
BLK									
6800G 549									
A/Com	В	C	D	Ε	F	G	Н	I	J
6800G 648	667	708	744	772	800	841	941	1004	1376
						<u> </u>			
		Step	1: Black N	Mesh Bao	ck Lask-	Select I	extile		
BLK									
6802B 623									
A/Com	В	C	D	Ε	F	G	Н	I	J
6802B 722	741	782	819	847	875	916	1015	1078	1450
		Step	1: Grey M	lesh Bac	k Task -	Select T	extile		
BLK									
6802G 623									
A/Com	В	C	D	E	F	G	н	I	J
6802G 722	741	782	819	847	875	916	1015	1078	1450

		Step 2: InMotion Options	
Glides	CAL TB133	Low Stool w/Foot Ring	High Stool w/Foot Ring
0	56	158	183







## Kyos Series - 5800 Task Chair

Practical, versatile, stackable, reliable. Kyos multi-use guest and stackable seating is the perfect complement to office, school, church or event décor. Kyos is available as an all poly chair, with an upholstered seat or upholstered seat and back. Kyos also offers an optional grey or black mesh back.





	Step 1: Black Frame and Shell No Arms – Select Textile										
<b>All Poly</b> 5801B <sup>279</sup>											
A/Com	В	C	D	Ε	F	G	Н	I	J		
5801B 390	408	452	488	517	545	588	690	755	1135		
Step 1: Grey Frame and Shell No Arms – Select Textile											
All Poly											
5801G 317											
A/Com	В	C	D	Ε	F	G	Н	I	J		
5801G 426	444	487	524	552	581	624	727	791	1171		
Step 1: Black Frame and Shell With Arms – Select Textile											
All Poly											
5802B 311											
A/Com	В	C	D	Ε	F	G	Н	I	J		
5802B 418	437	480	517	545	573	616	718	783	1163		
	St	ep 1: Gre	y Frame	and She	ll With Aı	rms – Sel	lect Text	ile			
All Poly											
5802G 348											
A/Com	В	C	D	E	F	G	н	I	J		
5802G 455	473	516	552	581	609	652	755	819	1199		

1	Λ
Т	υ

	Step 2: Kyos Options									
Casters	CAL TB133	Ganging	Grey or Black Mesh Back	Felt Glide	Transport Cart					
61	81	22	39	39	877					





## Lab Mini Series - 2200 Lab Chair

Small but comfortable, Lab Mini is the ideal solution for compact laboratory environments. The Lab Mini controls allow for multiple andjustments including seat and back height adjustment creating the right fit for most all users



Easy 2 Lever Weight Adjusting Control with Standard Seat Slider. Standard Cylinder is #2, 300 Pound Weight Capacity.

LT Control



XT Control

Full Function With Independent Seat & Back Angle Adjustment, Integrated Seat Slider. Standard Cylinder is #2 300 Pound Weight Capacity.

Step 1: Select Textile											
A/Com	В	C	D	Ε	F	G	Η	I	J		
2200JSLT 757	787	821	857	883	909	950	1045	1414	1783		
A/Com	В	C	D	Ε	F	G	Н	I	J		
2200JSXT 811	841	875	911	937	963	1064	1099	1468	1837		





#### 12

### Step 2: Arms

#### Arms Are Not an Option on the Lab Mini

		Ste	ep 3: Seat Si	ze	
Standard	Peti	te	Tall	Large	Extra Large
18"D x 20"\	<i>N</i> 16"D x	18"W 20	"D x 20"W	19"D x 22"V	V 21"D x 26"W
Not Availa	able <b>0</b>		t Available	Not Availab	le Not Available
			tep 4: Foarr		
Molded Seat Fo		ent Foam	•	Seat Foam	Memory Seat Foam LG and XI
Not Availab	le	0		14	Not Available
			Adjustable I		
		Adjus	table Lumbar	••	
		CF/	Not Availabl		
Low	Intermediate	 Mid			ng High Sheel w/Feel Ding
				v Stool w/Foot Ri	
3" Range* <b>0</b>	4" Range* <b>0</b>	5" Rang <b>0</b>	Je	8" Range* <b>158</b>	10" Range* <b>183</b>
J		-	tep 7: Caste		
Soft Caster	- Carp	et Caster		ng Caster	Glides
0		0		81	34
		S	itep 8: Base	}	
Low	Profile		High Profile	Polished Aluminum	
	0		0		135
			p 9: Head R		
	Pillow Head Res	:		Ratchet Head R	
	Not Available			Not Availabl	e
	<del></del>		0: Other Op		
ailbone Seat C		S	pecial Seat or		CAL TB133
Not Availab	le		Not Availabl	e	108
			7		
6				•	
E	BETTER		BEST		
	787		911		
220	0JSLT-B		2200JSXT-	D	
Foam -	- Cylinder - Caster -	Base - Other Opt	ions		
d			_		
Stand	dard Feature	*See Page	49 For Detaile	ed Dimensions	
w.ecdergo.co	om	9140 Steller		orona, CA 92883	951.27



## Lab Pro Series - 2300 Lab Chair

Lab Pro is our upgraded lab specific designed chair. Lab Pro utilizes a contour seat for all day comfort and our highly ergonomic XT control for maximum adjustment.



LT Control Easy 2 Lever Weight Adjusting Control with Standard Seat Slider. Standard Cylinder is #2, 300 Pound Weight Capacity.



#### **XT** Control

Full Function With Independent Seat & Back Angle Adjustment, Integrated Seat Slider. Standard Cylinder is #2 300 Pound Weight Capacity.

Step 1: Select Textile											
A/Com	В	C	D	Ε	F	G	H	I	J		
2300JSLT 832	863	900	941	964	991	1032	1132	1532	1968		
A/Com	В	C	D	Ε	F	G	Н	I	J		
2300JSXT 883	916	952	994	1015	1043	1085	1185	1584	2019		





			Step 2: Arms					
No Arms	AT Arms	EP Arms	4D Arms	FA Arms	CC Arms			
0	81	143	143	188	Not Available			
		Ste	ep 3: Seat Size	9				
Standar	d Pel	ite	Tall	Large	Extra Large			
18"D x 20	"W 16"D >	18"W 2	0"D x 20"W	19"D x 22"W	21"D x 26"W			
0			ot Available	Not Available	Not Available			
			itep 4: Foam					
Molded Seat	Foam Resi	lient Foam	Memory S		emory Seat Foam LG and X			
0			11		Not Available			
			Adjustable Lu					
		Adju	stable Lumbar S	• •				
			Not Available					
			ep 6: Cylinde					
Low			Low	Stool w/Foot Ring	High Stool w/Foot Rin			
3" Range*	4" Range*	5" Rar	ige*	8" Range*	10" Range*			
0	0	0		158	183			
			tep 7: Caster	_				
Soft Cast	er Car	pet Caster	Braking	Caster	Glides			
0		0	8	1	34			
			Step 8: Base					
Lo	w Profile		High Profile		Polished Aluminum			
	0	Cha	p 9: Head Re	ab	135			
	Pillow Head Res		р 9: пеас ке	SL Ratchet Head Res				
			Not Available					
	Not Available		10. Olhor Onli					
Tailbone Seat	Cutout		10: Other Opti Special Seat or Ba		CAL TB133			
Not Availa		•	Not Available		108			
NUL AVAIIA					100			
			-					
	BETTER		BEST					
	863		994					
23	300JSLT-B		2300JSXT-E	)				
	s - Seat Size - Foam -	Cylinder - Castei						
uild		-						



## Lagos Series - 4600 Task Chair

Lagos Series offers sleek styling and extraordinary comfort. Lagos has a standard integrated dynamic lumbar support, 4D adjustable arms and like most ECD seating is available in multiple sizes with additional options for foam, arm and mechanisms for enhanced flexibility. Lagos is offered in black and grey frame with black mesh.



LT Control Easy 2 Lever Weight Adjusting Control with Standard Seat Slider. Standard Cylinder is #2, 300 Pound Weight Capacity.



QA Control

Quick Adjust Control with Standard Seat Slider and Side Tension Adjustment. Standard Cylinder is #2, 300 Pound Weight Capacity.

	Step 1: Black Frame – Select Mechanism and Textile											
	A/Com	В	C	D	Ε	F	G	H	I	J		
4606JSLT	885	903	945	981	1008	1036	1077	1178	1241	1611		
4606JSQA	932	949	992	1028	1055	1083	1124	1224	1288	1658		





No Arms -143 Stan 18"D x Molded Se 0	19"W 0	ns EP Arm 0 Petite 16"D x 18"W 0	0 Step 3: Seat Siz Tall 20"D x 20"W 194	FA Arms 45 20 Large 19"D x 22"W	CC Arms 0 Extra Large
Stan 18"D x Molded Se	<b>dard</b> 19"W <b>0</b>	<b>Petite</b> 16"D x 18"W	Step 3: Seat Siz Tall 20"D x 20"W 194	ze Large	
18"D x Molded Se	19"W 0	16"D x 18"W	<b>Tall</b> 20"D x 20"W <b>194</b>	Large	Extra Large
18"D x Molded Se	19"W 0	16"D x 18"W	20"D x 20"W <b>194</b>	-	Extra Large
Molded Se	0		194	19"D x 22"W	
	-	0			21"D x 26"W
	eat Foam			253	Not Available
	eat Foam		Step 4: Foam		
0		Resilient Foan	-	y Seat Foam	Memory Seat Foam LG
		0		114	219
		Step	5: Adjustable L		
			Adjustable Lumbar		
			Standard Integ	, 	
			Step 6: Cylinde		
Low		mediate		w Stool w/Foot Ring	0
3" Range	e* 4" F	Range* 5	" Range*	8" Range*	10" Range*
0		0	0	158	183
6.61.0			Step 7: Caster		
Soft C		Carpet Caster	r Braki	ng Caster	Glides
34	4	0		81	34
	Low Profile		Step 8: Base		
	Low Profile 0		High Profil 0	e	Polished Aluminum 135
	0		Step 9: Head Re	act	155
	Lagos H	lead Rest		s Custom Upholstere	ed Head Rest
	•	99		174	
			ep 10: Other Opl	tions	
Tailbone Se	eat Cutout		Special Seat		CAL TB133
15	58		158		56
	GOOD		BETTER		BEST
	885		932		1031
	4606JSLT-	A	4606JSQA-A		4606JSQA-A OPHR
A	Arms - Seat Size -	Foam - Cylinder - C	aster - Base - Head R	lest - Other Options	
uild _					



## Lagos Series - 4700 Task Chair

Lagos Series offers sleek styling and extraordinary comfort. Lagos has a standard integrated dynamic lumbar support, 4D adjustable arms and like most ECD seating is available in multiple sizes with additional options for foam, arm and mechanisms for enhanced flexibility. Lagos is offered in black and grey frame with black mesh.



Easy 2 Lever Weight Adjusting Control with Standard Seat Slider. Standard Cylinder is #2, 300 Pound Weight Capacity.



QA Control

Quick Adjust Control with Standard Seat Slider and Side Tension Adjustment. Standard Cylinder is #2, 300 Pound Weight Capacity.

Step 1: Grey Frame – Select Mechanism and Textile											
	A/Com	В	C	D	Ε	F	G	Η	I	J	
4706JSLT	981	999	1040	1076	1104	1132	1174	1274	1337	1708	
4706JSQA	1028	1045	1087	1123	1151	1179	1220	1321	1384	1754	



**ECD** 

			Step 2: Arms		
No Arms	AT Arms	EP Arms	4D Arms	FA Arms	CC Arms
-143	-81	0		45	0
			Step 3: Seat Si		
Standard		tite		Large	
18"D x 19"		k 18"W	20"D x 20"W	19"D x 22"W	21"D x 26"W
0		0	194 Step 4: Foam	253	Not Available
Molded Seat F	oam Res	ilient Foam		Seat Foam	Memory Seat Foam LG
0	Nes	0	-	14	219
		Step	5: Adjustable I	_umbar	
			able Lumbar Sup		
			andard Integrate		
			Step 6: Cylind		
Low	Intermediat			Stool w/Foot Ring	High Stool w/Foot Rin
3" Range*	4" Range'	* 5" R	ange*	8" Range*	10" Range*
0	0		0	158	183
			Step 7: Caste	:r	
Soft Caste	er Car	pet Caster	Braking	g Caster	Glides
34		0	8	31	34
			Step 8: Base	!	
Lov	v Profile		High Profile		Polished Aluminum
	0		0		135
			Step 9: Head R		
	Lagos Head Ro	est	Lago	s Custom Upholste	red Head Rest
	99	Cha	- 10, 0th an 0r	174	
Tailbone Seat (	Vutout	Ste	p 10: Other Op Special Seat	dions	CAL TB133
158			158		56
150			150		50
					T
	GOOD		BETTER		BÊST
	981		1028		1127
47	06JSLT-A	4	4706JSQA-A		4706JSQA-A OPHR
Arm	s - Seat Size - Foar	ns			
uild					



## Logixx Series - 3150 Task Chair

Logixx was designed as a versatile task/management ergonomic chair capable of satisfying the needs of the demanding sectors of intensified workload or 24 hour continuous use. This series is offered in a standard scale fitting the 5th to 95th percentile of the population, rated to 350 pounds for 24/7 use. Logixx has an outer poly back for increased durability and protection.



	Step 1: Select Textile										
	A/Com	B	C	D	Ε	F	G	H	I	J	
3156	1352	1395	1449	1502	1541	1581	1638	1782	2238	2541	

#### Step 2: Arms

Logixx comes standard with an adjustable height and width arm with arm caps which slide inward and outward and forward and backward.

**ECD** 

		Step	2: Arms			
No Arms	AT Arms EP /	Arms Grey Ar	ms 4D	Arms	FA Arms	CC Arms
-143	-81	0 0		0	45	0
		Step 3	8: Seat Size			
Standard	Petite	· 1	<b>Fall</b>	Large		Extra Large
18"D x 20"W	16"D x 18		x 20"W	19"D x 22"\	N 2	21"D x 26"W
0	0		194	253		1567
			4: Foam		<u> </u>	
Molded Seat Foa		nt Foam o	Memory Sea 114		Memory Sea	t Foam LG and ) 219
0		0 Stop 5. Adi				219
		Step 5: Adj	e Lumbar Sup			
			ard Adjustat			
			5: Cylinder			
Low	Intermediate	Step ( Mid		ool w/East P	ing List	Stool w/Foot Rir
Low 3" Range*	4" Range*	<b>۳۱۱۵</b> 5" Range*		t <b>ool w/Foot R</b> 3" Range*	0 0	10" Range*
<b>0</b>	4 Range 0	o Range	(	158		10 Range
0	0		7: Caster	150		105
Soft Caster	Carpe	t Caster	Braking C	aster		Glides
0	•	0	81			34
-		Ster	o 8: Base			
Low Profile	Hi	gh Profile		y Base	Polishe	d Aluminum
0		0		135		135
		Step 9	: Head Res	t		
l	Pillow Head Rest		F	Ratchet Head	Rest	
	Not Available			Not Availab	le	
		Step 10: 1	Other Optic	ons		
ailbone Seat Cut	out	Speci	al Seat or Bac	k	CA	L TB133
Not Available	1	No	ot Available			108
			-			
			BETTER			
			1352			
			3156-A			
<b>A</b> 11110 - Ea	at Siza Culindar C					
	at Size - Cylinder - C		-			
iiu						
Standa	rd Feature	* See Page 49	For Detailed	Dimensions		

Pricelist



## Metropolis Series – 500 Task Chair

Our first priority in the development of this series was to introduce a versatile task/management ergonomic chair capable of satisfying the needs of the demanding sector of intensified workload 24 hour continuous use or 911 call centers. ECD worked closely with Pacific Bell to create this series. Metropolis is offered in large (300 pound capacity) and extra large (450 pound capacity) for the above average population.

#### **XT** Control



Full Function With Independent Seat & Back Angle Adjustment, Integrated Seat Slider. Standard Cylinder is #2, 300 (506) and 450 (509) Pound Weight Capacity.

Step 1: Select Size and Textile											
	A/Com	В	C	D	E	F	G	Η	I	J	
506JSXTLS	1405	1457	1516	1578	1623	1670	1739	1906	2108	2313	
509JSXTXLS	2388	2470	2529	2588	2630	2678	2743	2909	3019	3297	






Pricelist

			Ste	ep 2: Arms		
No Arms A	T Arms El	<sup>o</sup> Arms	Grey Arms	4D Arms	FA Arm	s CC Arms
-90	0	81	81	81	126	81
			Step	3: Seat Size	е	
Standard		Petite		Tall	Large	Extra Large
18"D x 20"	W 1	6"D x 18'		D x 20"W	19"D x 22"W	21"D x 26"W
Not Availab	le N	lot Availal		Available	0	0
				p 4: Foam		
Molded Seat F		Resilient	Foam	Memory S		Memory Seat Foam LG and X
Not Availab	le	0		Not Av		219
				djustable Lu		
			Adjusta	ble Lumbar S	upport	
			Stor	142 6: Cylinde	P	
	Intern	nediate				ur High Shaal w/Faat Din
Low			Mid 5" Dong		Stool w/Foot Rin	
3" Range* Not Available		ange* <b>0</b>	5" Rang Not Availa		8" Range* Not Available	10" Range* Not Available
NOT AVAIIADIE	;	0		p 7: Caster		Not Available
Soft Caste	r	Carpet		Braking		Glides
0		0		8	•	34
Ţ		-	St	ep 8: Base	-	
Low	Profile			High Profile	Polished Aluminum	
	0			Not Available		Not Available
			Step	9: Head Re	st	
	Pillow He	ad Rest			Ratchet Head R	est
	Not A	vailable			Not Available	)
			Step 10	: Other Opt	ions	
Tailbone Seat C	utout		Specia	l Seat or Back		CAL TB133
Not Availab	le		Not	Available		108
	A A					
	GOOD			BETTER		
	1405			2388		
50	6JSXTLS-	Ą	50	9JSXTXLS	-A	
Arn	ns - Adjustable	Lumbar -	Caster - Other	Options		
ild						
Sta	Indard Featu	re	* See Page 4	9 For Detaile	d Dimensions	



### Pursue Series - 3600 Task Chair

Pursue series is a brilliant combination of design and function at an affordable price. Pursue comes standard with an integrated lumbar support and adjustable height arms. Like most ECD seating, Pursue is available in multiple sizes with additional options for foam, arm and mechanisms for enhanced flexibility. Pursue is offered in both black and grey mesh.



		Ste	p 1: Blacl	< Mesh -	· Select I	Mechanis	sm and T	extile		
	A/Com	B	C	D	Ε	F	G	Н	I	J
3606SNS	584	602	644	680	708	736	777	878	940	1311
3606JSLT	639	656	699	735	762	790	831	932	995	1365
3606JSQA	685	703	745	781	808	836	878	978	1041	1412





Pricelist

			Ste	o 2: Arms			
No Arms	AT Arms	EP Arms	Grey Arms	4D Arms	FA Arms	CC Arms	In/Out Bracket
-63	0	81	81	81	126	81	27
			Step	3: Seat Size	2		
	ndard	Petite		Tall	Large		Extra Large
18"D	x 20"W	16"D x 18'	'W 20"	D x 20"W	19"D x 22'	'W	21"D x 26"W
	0	0	Char	194	253		Not Available
MILLI				o 4: Foam		N	
	Seat Foam 0	Resilien 0		-	Seat Foam 14	Memo	ry Seat Foam LG 219
	0	0					215
			Step 5: Ad	ble Lumbar S			
				ndard Integra			
				6: Cylinder			
Low		termediate	<u>Jtep</u> Mid			Ding Llig	h Stool w/Foot Rin
3" Rang		1" Range*	5" Range		Stool w/Foot f 8" Range*	king nig	10" Range*
3 Rang 0	je 2	• Range 0	5 Kange 0	J	o Range		10 Range
0		0	-	o 7: Caster	150		105
Soft	Caster	Carpet			g Caster		Glides
	34	0			1		34
		-	Ste	p 8: Base	-		
Low	Profile	Hig	h Profile		rey Base	Polis	ned Aluminum
	0	C	0		135		135
			Step S	9: Head Res	st		
	Purs	ue Head Rest					
		99					
			Step 10:	Other Opti	ons		
Tailbone S	Seat Cutout		Spe	ecial Seat		I	CAL TB133
1	58			158			56
		Ŧ		T			TLEF
	GOOL	<u>ן</u>		BETTER			BEST
	584	•		639			685
	3606SN	S-A	3	606JSLT-/	4	36	06JSQA-A
		ze - Foam - Cylin					
vild				-	-		



### Pursue Series - 3700 Task Chair

Pursue series is a brilliant combination of design and function at an affordable price. Pursue comes standard with an integrated lumbar support and adjustable height arms. Like most ECD seating, Pursue is available in multiple sizes with additional options for foam, arm and mechanisms for enhanced flexibility. Pursue is offered in both black and grey mesh.



	Step 1: Grey Mesh – Select Mechanism and Textile											
	A/Com	В	C	D	Ε	F	G	Н	I	J		
3706SNS	584	602	644	680	708	736	777	878	940	1311		
3706JSLT	639	656	699	735	762	790	831	932	995	1365		
3706JSQA	685	703	745	781	808	836	878	978	1041	1412		





Pricelist


			Step	o 2: Arms			
No Arms	AT Arms	EP Arms	Grey Arms	4D Arms	FA Arms	CC Arms	In/Out Bracket
-63	0	81	81	81	126	81	27
			Step 3	8: Seat Size	2		
	ndard	Petite		Tall	Large		Extra Large
18"D x 20"W		16"D x 18'	'W 20"	D x 20"W	19"D x 22	"W	21"D x 26"W
	0	0	Char	194	253		Not Available
Malaad		De cilitari		94: Foam	<u>с. 1 Г</u>	M	
	Seat Foam 0	Resilien 0	roam	-	Seat Foam 14	riemo	ry Seat Foam LG 219
	0		Step 5: Adj				215
				ble Lumbar S			
			•	idard Integra			
				6: Cylinder			
Low	In	ntermediate	Mid		Stool w/Foot	Ring Hig	h Stool w/Foot Rin
3" Rang		4" Range*	5" Range		8" Range*		10" Range*
0 rtang 0	<b>J</b> O	<b>0</b>	0 Range	•	158		183
-		-	Step	7: Caster			
Soft	Caster	Carpet			gCaster		Glides
:	34	0		8	1		34
			Ste	o 8: Base			
Low	Profile	Hig	h Profile	G	rey Base	Polis	hed Aluminum
	0		0		135		135
			Step 9	: Head Res	st		
	Purs	we Head Rest					
		99	Char 10	04			
Tailhana	Seat Cutout			Other Option	ons		CAL TB133
			၁၉၉	cial Seat 158			56
1	58			150			50
	-	T					
		1					
		<b>A</b>					
	GOO	D		BETTER			BEST
	584			639			685
	3706SN	IS-A	3	706JSLT-/	4	37	06JSQA-A
	Arms - Seat S	ize - Foam - Cylind	der - Caster - B	lase - Head Re	st - Other Optio	ns	
vild						_	
		eature		9 For Detaile			



## QT Series - 2900 Task Chair



QT Series adjusts fully to support both task and conference room applications. Highly engineered features for seat depth adjustment, back tilt, back angle, seat height, adjustable lumbar support and height adjustable arms are incorporated into a clean contemporary mesh back design. When you consider comfort, quality and value, QT provides a smart solution.



	Step 1: Mesh Back – Select Mechanism and Textile													
1	A/Com	В	C	D	Ε	F	G	Н	I	J				
2906SNS	718	737	778	815	842	869	912	1011	1074	1446				
2906JSLT	781	800	841	878	905	933	974	1074	1137	1508				
2906JSXT	831	850	891	927	955	983	1025	1125	1187	1559				
2906JSQA	831	850	891	927	955	983	1025	1125	1187	1559				




-63     0     81     81     81     126     81     27       Step 3: Seat Size       Standard     Petite     Tall     Large     Extra Large       18"D x 20"W     16"D x 18"W     20"D x 20"W     19"D x 22"W     21"D x 26"W       0     0     194     253     1567       O 19'D x 20"W     19"D x 22"W     21"D x 26"W       0     0     194     253     1567       Molded Seat Foam     Memory Seat Foam     Memory Seat Foam     L6 a       0     0     114     219       Step 5: Adjustable Lumbar       Adjustable Cumbar       Adjustable Cumbar       Step 6: Cylinder       Low       Not Carpet Caster       Soft Caster       Carpet Caster       Step 9: Head Rest       O       O       Step 10: Other Options       Tailbone Seat Cutout				Ste	ep 2: Arms				
Step 3: Seat Size         Standard       Petite       Tall       Large       Extra Large         18"D x 20"W       16"D x 18"W       20"D x 20"W       19"D x 22"W       21"D x 26"W         0       0       194       253       1567         Step 4: Foam         Molded Seat Foam       Resilient Foam       Memory Seat Foam       Memory Seat Foam       L6"a         0       0       114       219         Step 5: Adjustable Lumbar         Adjustable Cumbar         St				Grey Arms			CC Arn	ns In/Out Brackel	
Standard         Petite         Tall         Large         Extra Large           18"D x 20"W         16"D x 18"W         20"D x 20"W         19"D x 22"W         21"D x 26"W           0         0         194         253         1567           Step 4: Foam           Molded Seat Foam         Resilient Foam         Memory Seat Foam         Memory Seat Foam LG a           0         0         114         219           Step 5: Adjustable Lumbar           Step 7: Caster           Soft Caster         Carpet Caster         Braking Caster         Glides           0         0         135         135         135           Other Options           Total Rest           90         138         <	-63	0	81		-	-	81	27	
18"D x 20"W       16"D x 18"W       20"D x 20"W       19"D x 22"W       21"D x 26"W         0       0       194       253       1567         Step 4: Foam         Molded Seat Foam       Resilient Foam       Memory Seat Foam       Memory Seat Foam       Memory Seat Foam       Low         Adjustable Lumbar         Adjustable Lumbar         Adjustable Lumbar Support         Standard Integrated         Step 6: Cylinder         Low       Intermediate       Mid       Low Stool w/Foot Ring       High Stool w/Fool         3" Range*       4" Range*       5" Range*       8" Range*       10" Range*         0       0       0       158       183         Step 7: Caster         Soft Caster       Carpet Caster       Bildes         0       0       81       34       34         O       0       135       135         Step 9: Head Rest         0       0       135       135         Step 10: Other Options         Tailbone Seat Cutout       Special Seat       CAL TBI33         O						е			
0         0         194         253         1567           Step 4: Foam         Memory Seat Foam         Memory Seat Foam         Memory Seat Foam         Loan           0         0         114         219           Step 5: Adjustable Lumbar           0         0         114         219           Step 5: Adjustable Lumbar Support           Standard Integrated           Step 6: Cylinder           Low         Intermediate         Mid         Low Stool w/Foot Ring         High Stool w/Fool           3" Range*         4" Range*         5" Range*         8" Range*         10" Range*           0         0         0         158         183           Step 7: Caster           Step 7: Caster           Soft Caster         Carpet Caster         Braking Caster         Gildes           0         0         81         34           Other Options           Tailbone Seat Cutout         Special Seat         CAL TBI33           99         BETTER         BEST           Tailbone Seat Cutout         Special Seat         CAL TBI33     <						-		Extra Large	
Step 4: Foam         Molded Seat Foam       Resilient Foam       Memory Seat Foam       Memory Seat Foam       Lean         0       0       114       219         Step 5: Adjustable Lumbar         Adjustable Lumbar Support         Standard Integrated         Step 6: Cylinder         Low       Intermediate       Mid       Low Stool w/Foot Ring       High Stool w/Fool         3" Range*       4" Range*       5" Range*       8" Range*       10" Range*         0       0       0       158       183         Step 7: Caster         Soft Caster       Carpet Caster       Braking Caster       Glides         0       0       81       34         Step 9: Head Rest         OT Head Rest         91       Step 10: Other Options         Tailbone Seat Cutout       Special Seat       CAL TBI33         BETTER       BEST         718       781       2906 JSLT-A         2906 JSLT-A       2906 JSLT-A         2906 JSLT-A <td>18"D x</td> <td colspan="2">18"D x 20"W 16"I</td> <td>8"W 20"</td> <td></td> <td></td> <td>2"W</td> <td></td>	18"D x	18"D x 20"W 16"I		8"W 20"			2"W		
Molded Seat Foam       Resilient Foam       Memory Seat Foam       Memory Seat Foam       LB a         0       0       114       219         Step 5: Adjustable Lumbar         Step 6: Cylinder         Item Step 7: Caster         Soft Caster       Caster         Soft Caster       Caster 9: Base         Low Profile       High Profile       Grey Base       Polished Aluminum         0       0       135       135         Step 10: Other Options <th co<="" td=""><td></td><td>0</td><td>0</td><td>CI</td><td></td><td>253</td><td></td><td>1567</td></th>	<td></td> <td>0</td> <td>0</td> <td>CI</td> <td></td> <td>253</td> <td></td> <td>1567</td>		0	0	CI		253		1567
0 0 114 219          0 0       114       219         Step 5: Adjustable Lumbar         Adjustable Lumbar Support         Standard Integrated         Step 6: Cylinder         Low       Intermediate       Mid       Low Stool w/Foot Ring       High Stool w/Fool         3" Range*       4" Range*       5" Range*       8" Range*       10" Range*         0       0       0       158       183         Step 7: Caster         Goft Caster       Braking Caster       Glides         0       0       81       34         Step 8: Base         Low Profile       High Profile       Grey Base       Polished Aluminum         0       0       135       135         Step 10: Other Options         Tailbone Seat Cutout       Special Seat       CAL TBI33         158       56         GOOD       BETTER       BEST         Glides S         O         O         Step 10: Other Options         Tailbone Seat Cutout       Special Seat       CAL TBI33         GO						=			
Step 5: Adjustable Lumbar         Adjustable Lumbar Support         Standard Integrated         Step 6: Cylinder         Low       Intermediate       Mid       Low Stool w/Foot Ring       High Stool w/Fool         3" Range*       4" Range*       5" Range*       8" Range*       10" Range*         0       0       0       158       183         Step 7: Caster         Soft Caster       Glides         0       0       81       34         Step 8: Base         Low Profile       High Profile       Grey Base       Polished Aluminum         0       0       135       135         Step 9: Head Rest         99       99         Step 10: Other Options         Tailbone Seat Cutout       Special Seat       CAL TB133         158       158       56         GOOD       BETTER         BEST         Global StrA       2906 JSLT-A         2906 SNS-A       2906 JSLT-A       2906 JSXT-A         Arms - Seat Size - Foam - Cylinder - Caster - Base - Head Rest - Other Options <td></td> <td></td> <td></td> <td></td> <td>•</td> <td></td> <td>Memoi</td> <td>-</td>					•		Memoi	-	
Adjustable Lumbar Support         Standard Integrated         Step 6: Cylinder         Low       Intermediate       Mid       Low Stool w/Foot Ring       High Stool w/Fool         3" Range*       4" Range*       5" Range*       8" Range*       10" Range*         0       0       0       158       183         Step 7: Caster         Soft Caster       Garpet Caster       Braking Caster       Glides         0       0       81       34         Step 8: Base         Low Profile       High Profile       Grey Base       Polished Aluminum         0       0       135       135         Step 9: Head Rest         90       0       135       56         OT Head Rest         99       31       56         Step 10: Other Options         Tailbone Seat Cutout       Special Seat       CAL TBI33         GOOD       BETTER         BAS       Good JSLT-A         2906JSNS-A       2906JSLT-A       2906JSXT-A         Arms - Seat Size		J						219	
Standard Integrated         Step 6: Cylinder         Low       Intermediate       Mid       Low Stool w/Fool Ring       High Stool w/Fool         3" Range*       4" Range*       5" Range*       8" Range*       10" Range*         0       0       0       158       183         Step 7: Caster         Step 7: Caster         Step 7: Caster         Glides         0       0       81       34         Step 7: Caster       Glides         0       0       81       34         Step 8: Base         Low Profile       High Profile       Grey Base       Polished Aluminum         0       0       135       135         Step 10: Other Options         Tailbone Seat Cutout       Special Seat       CAL TB133         99         GOOD       BETTER       BEST         Glides       56         Glides       56         Glides       56         Glides       56         Glides       781       831									
Step 6: Cylinder           Low         Intermediate         Mid         Low Stool w/Foot Ring         High Stool w/Fool           3" Range*         4" Range*         5" Range*         8" Range*         10" Range*           0         0         0         158         183           0         0         158         183           Step 7: Caster           Soft Caster         Carpet Caster           Soft Caster         Carpet Caster         Braking Caster         Glides           0         0         81         34           Step 7: Caster           Step 8: Base           Low Profile         High Profile         Grey Base         Polished Aluminum           0         0         135         135           Step 10: Other Options           Tailbone Seat Cutout         Special Seat         CAL TB133           99           GOOD         BETTER         BEST           GOOD         BETTER         BEST           GOOD         BETTER         B31         2906 JSXT-A           Arms - Seat Size - Foam - Cylinder - Caster - Base - Head Rest - Other Options      <									
Low         Intermediate         Mid         Low Stool w/Foot Ring         High Stool w/Fool           3" Range*         4" Range*         5" Range*         8" Range*         10" Range*           0         0         0         158         183           0         0         0         158         183           0         0         0         158         183           Step 7: Caster           Step 7: Caster           Soft Caster         Carpet Caster         Braking Caster         Glides           0         0         81         34           Step 7: Caster           Glides           0         0         81         34           Step 8: Base           Polished Aluminum           0         0         135         135           Step 9: Head Rest           99         CAL TBI33           158         158         56           GODD         BETTER           600D         BETTER         B31           2906 SNS-A         2906 JSLT-A         2906 JSXT-A           Arms - Seat Size - Foam - Cylinder - Caster -									
3" Range*       4" Range*       5" Range*       8" Range*       10" Range*         0       0       0       158       183         Step 7: Caster         Soft Caster       Carpet Caster       Braking Caster       Glides         0       0       81       34         Step 8: Base         Low Profile       High Profile       Grey Base       Polished Aluminum         0       0       135       135         Step 9: Head Rest         Other Options         Tailbone Seat Cutout       Special Seat       CAL TB133         Step 10: Other Options         Tailbone Seat Cutout       Special Seat       CAL TB133         Step 10: Other Options         Tailbone Seat Cutout       Special Seat       CAL TB133         GOOD       BETTER       BEST         718       781       831       2906JSLT-A       2906JSXT-A         Arms - Seat Size - Foam - Cylinder - Caster - Base - Head Rest - Other Options         Low							<u> </u>		
0         0         158         183           Soft Caster         Carpet Caster         Braking Caster         Glides           0         0         81         34           0         0         81         34           Step 8: Base           Low Profile         High Profile         Grey Base         Polished Aluminum           0         0         135         135           Step 9: Head Rest           90         Step 10: Other Options           Tailbone Seat Cutout         Special Seat         CAL TBI33           158         158         56           GOOD         BETTER         BEST           718         781         831           2906SNS-A         2906JSLT-A         2906JSXT-A           Arms - Seat Size - Foam - Cylinder - Caster - Base - Head Rest - Other Options           wide         -         -         -         -         -							Ring	•	
Step 7: Caster         Soft Caster       Carpet Caster       Braking Caster       Glides         0       0       81       34         Step 8: Base         Low Profile       High Profile       Grey Base       Polished Aluminum         0       0       135       135         Step 9: Head Rest         90       0       135       135         Step 10: Other Options         Tailbone Seat Cutout       Special Seat       CAL TBI33         158       158       56         Ø         GOOD       BETTER       BEST         600D       BETTER       BEST       831         2906SNS-A       2906JSLT-A       2906JSXT-A         Arms - Seat Size - Foam - Cylinder - Caster - Base - Head Rest - Other Options       1014	-	e* 4	-	-	e*	•		-	
Soft Caster       Carpet Caster       Braking Caster       Glides         0       0       81       34         Step 8: Base         Low Profile       High Profile       Grey Base       Polished Aluminum         0       0       135       135         Step 9: Head Rest         QT Head Rest       99         Step 10: Other Options         Tailbone Seat Cutout       Special Seat       CAL TB133         158       158       56         GOOD       BETTER       BEST         718       781       831         2906SNS-A       2906JSLT-A       2906JSXT-A         Arms - Seat Size - Foam - Cylinder - Caster - Base - Head Rest - Other Options       2906JSXT-A	0		0					183	
0 0 81 34          Step 8: Base         Low Profile       High Profile       Grey Base       Polished Aluminum         0       0       135       135         Step 9: Head Rest         99         Step 10: Other Options         Tailbone Seat Cutout       Special Seat       CAL TBI33         158       158       56         GOOD       BETTER       BEST         600D       BETTER       B31       2906JSLT-A       2906JSLT-A         2906JSLT-A         Arms - Seat Size - Foam - Cylinder - Caster - Base - Head Rest - Other Options         auid	C.(L)	De alta a	0						
Step 8: Base         Low Profile       High Profile       Grey Base       Polished Aluminum         0       0       135       135         OT Head Rest         99         Step 10: Other Options         Tailbone Seat Cutout       Special Seat       CAL TBI33         158       158       56         OD       BETTER       BEST         GOOD       BETTER       BEST         718       781       831         2906SNS-A       2906JSLT-A       2906JSXT-A         Arms - Seat Size - Foam - Cylinder - Caster - Base - Head Rest - Other Options			•			-			
Low Profile       High Profile       Grey Base       Polished Aluminum         0       0       135       135         Step 9: Head Rest         OT Head Rest       99         Step 10: Other Options         Tailbone Seat Cutout       Special Seat       CAL TB133         158       158       56         OD       BETTER       BEST         600D       BETTER       BEST         718       781       831         2906SNS-A       2906JSLT-A       2906JSXT-A         Arms - Seat Size - Foam - Cylinder - Caster - Base - Head Rest - Other Options		0		-		51		34	
0         0         135         135           Step 9: Head Rest           99           Step 10: Other Options           Tailbone Seat Cutout         Special Seat         CAL TB133           158         158         56           Image: provide the seat Cutout         Special Seat         CAL TB133           158         158         56           Image: provide the seat Cutout         Special Seat         CAL TB133           158         158         56           Image: provide the seat Cutout         Special Seat         CAL TB133           158         158         56           Image: provide the seat Cutout         Special Seat         CAL TB133           Image: provide the seat Cutout         Special Seat         Special Seat           Image: provide the seat Cutout         Special Seat         Special Seat           Image: provide the seat Size - Foam - Cylinder - Caster - Base - Head Rest - Other Options         BEST           Image: provide the seat Size - Foam - Cylinder - Caster - Base - Head Rest - Other Options         Head Rest - Other Options	Low [	Drafila				Roy Peco	De	lich od Aluminum	
Step 9: Head Rest         QT Head Rest         99         Tailbone Seat Cutout       Special Seat       CAL TB133         158       56         Joint colspan="2">Joint colspan="2">Joint colspan="2">Joint colspan="2">Joint colspan="2">Joint colspan="2">Joint colspan="2">Joint colspan="2">CAL TB133         Joint colspan="2">Colspan="2">Colspan="2">Colspan="2">Colspan="2">Colspan="2">Colspan="2">Colspan="2">Colspan="2">Colspan="2">Colspan="2">Joint colspan="2">Joint colspan="2" Joint colspan="2">Joint colspan="2" Joint colspan="2" Joi				-	C	-	FU		
QT Head Rest 99         Step 10: Other Options         Tailbone Seat Cutout       Special Seat       CAL TB133         158       158       56         Image: provide the state of		-			9. Head Re			100	
99         Step 10: Other Options         Tailbone Seat Cutout       Special Seat       CAL TB133         158       158       56         Image: Colspan="2">Image: Colspan="2">CAL TB133         Image: Colspan="2">Image: Colspan="2">Colspan="2">CAL TB133         Image: Colspan="2">Image: Colspan="2">Colspan="2"         Image: Colspan="2">Colspan="2"       Image: Colspan="2">Colspan="2"       Image: Colspan="2"       Image: Colspa="">Colspa= "2"       Image: Colspan="2" <thi< td=""><td></td><td>ΟΤ</td><td>Head Rest</td><td>Jich</td><td></td><td></td><td></td><td></td></thi<>		ΟΤ	Head Rest	Jich					
Step 10: Other Options         Tailbone Seat Cutout       Special Seat       CAL TB133         158       158       56         Image: Good D       Image: Better Point Poin		•							
Tailbone Seat Cutout       Special Seat       CAL TB133         158       158       56         158       158       56         Image: GOOD       Image: GOOD       Image: GOOD         600D       BETTER       Image: GOOD         718       781       831         2906SNS-A       2906JSLT-A       2906JSXT-A         Arms - Seat Size - Foam - Cylinder - Caster - Base - Head Rest - Other Options       2906JSXT-A				Sten 10	• Other Ont	ions			
158       158       56         Image: GOOD       Image: GOOD       Image: GOOD         600D       BETTER       Image: GOOD         718       781       831         2906SNS-A       2906JSLT-A       2906JSXT-A         Arms - Seat Size - Foam - Cylinder - Caster - Base - Head Rest - Other Options       2906JSXT-A	Tailbone S	eat Cutout						CAL TB133	
GOOD       BETTER       BEST         GOOD       BETTER       BEST         718       781       831         2906SNS-A       2906JSLT-A       2906JSXT-A         Arms - Seat Size - Foam - Cylinder - Caster - Base - Head Rest - Other Options       2906JSXT-A         avid				-1					
718     781     831       2906SNS-A     2906JSLT-A     2906JSXT-A       Arms - Seat Size - Foam - Cylinder - Caster - Base - Head Rest - Other Options     2906JSXT-A       Build									
718     781     831       2906SNS-A     2906JSLT-A     2906JSXT-A       Arms - Seat Size - Foam - Cylinder - Caster - Base - Head Rest - Other Options     2906JSXT-A		T	г		т			TOT	
718     781     831       2906SNS-A     2906JSLT-A     2906JSXT-A       Arms - Seat Size - Foam - Cylinder - Caster - Base - Head Rest - Other Options     2906JSXT-A									
718     781     831       2906SNS-A     2906JSLT-A     2906JSXT-A       Arms - Seat Size - Foam - Cylinder - Caster - Base - Head Rest - Other Options     2906JSXT-A			•						
2906SNS-A       2906JSLT-A       2906JSXT-A         Arms - Seat Size - Foam - Cylinder - Caster - Base - Head Rest - Other Options       2906JSXT-A         Build		GOOI	D		BETTER			BEST	
Arms - Seat Size - Foam - Cylinder - Caster - Base - Head Rest - Other Options Build		718			781			831	
Build		2906SN	S-A	2	2906JSLT-/	4		2906JSXT-A	
		Arms - Seat S	Size - Foam - Cy	vlinder – Caster ·	- Base - Head F	Rest - Other Op	tions		
Standard Feature * See Page 40 Fer Detailed Dimensions	uild								
Standard Feature * See Page /0 For Datailed Dimensions									
Junitaria i calui e Jee rage 43 rui Delaneu Dimensions		Standard F	eature	* See Page 4	9 For Detaile	ed Dimensior	าร		



## QTU Series - 3900 Task Chair



QTU Series is the same great chair as QT but with an upholstery over the mesh providing a unique look with the comfort and breathability of mesh. Highly engineered features for seat depth adjustment, back tilt, back angle, seat height, adjustable lumbar support and height adjustable arms are incorporated into a clean contemporary mesh back design. When you consider comfort, quality and value, QTU provides a smart solution.



		S	tep 1: Me	sh Back	- Select	Mechan	ism and	Textile		
	A/Com	В	C	D	Ε	F	G	Н	I	J
3906SNS	816	864	915	966	1002	1041	1098	1237	1465	1705
3906JSLT	879	927	978	1029	1065	1104	1172	1310	1538	1778
3906JSXT	929	979	1029	1080	1116	1156	1212	1351	1578	1818
3906JSQA	929	979	1029	1080	1116	1156	1212	1351	1578	1818



			St	ep 2: Arms	5				
No Arms	AT Arms	EP Arms	Grey Arms	•		CC Arms	In/Out Brackets		
-63	0	81	81	81	126	81	27		
				o 3: Seat Si	ze				
	ndard	Petite		Tall	Large		Extra Large		
18"D :			3"W 20"	D x 20"W	19"D x 22	2"W	21"D x 26"W		
	0	0	CL	194	253		1567		
Molded	eat Foam	Pasilia	nt Foam	ep 4: Foam		Manaamu	Seek Feens I C and VI		
	oeac roam 0		nc roam O	•	Seat Foam 14	memory	Seat Foam LG and XL 219		
	•			djustable l			210		
				ble Lumbar S					
				ndard Integr					
				o 6: Cylind					
Low	Inte	ermediate	Mid		Stool w/Foot	Ring Hi	gh Stool w/Foot Ring		
3" Rang	le* 4'	' Range*	5" Range		8" Range*		10" Range*		
0		0	0		183				
			Ste	ep 7: Caste	r				
Soft	Caster	Carpel	Caster		g Caster		Glides		
	0		0	8	81		34		
			St	ep 8: Base					
Low I	Profile	Hi	gh Profile	G	irey Base	Poli	shed Aluminum		
	0		0		135		135		
		Lillaged De at	Step	9: Head R	est				
	ψιυ	Head Rest							
		99	Stop 10	). Other On	tions				
Tailbone S	eat Cutout			): Other Op ecial Seat	luons		CAL TB133		
	58		She	158		56			
	<u> </u>			100			50		
	<b>, 19</b>	-		T			T		
		t							
		٩							
	GOOD			BETTER			BEST		
	816			879			929		
	3906SN	S-A	3	906JSLT-/	Ą	3	906JSXT-A		
	Arms - Seat Si	ze - Foam - Cy	linder - Caster -	Base - Head I	Rest - Other Op	tions			
vild									
	Standard Fe	eature	* See Page 4	9 For Detaile	ed Dimensior	าร			



## Quest Series - 2500 Task Chair

Quest is defined as a search of pursuit made in order to obtain something. For ECD's Quest series, the pursuit was to create the most comfortable and ergonomic office chair in the industry. ECD developed this family of chairs to give each user unparalleled support and comfort. Each chair puts more support down the center of the back, in the thoracic area to keep the proper curvature of the spine while sitting properly upright.





XT Control Full Function With Independent Seat & Back Angle Adjustment, Integrated Seat Slider. Standard Cylinder is #2, 300 Pound Weight Capacity.

		0	Step 1: Lo	w Back -	· Select M	lechanisr	n and Te	xtile		
	A/Com	В	C	D	Ε	F	G	H	I	J
2502JSLPXT	1135	1167	1203	1246	1267	1296	1337	1440	1841	2282
			Step 1: Mi	d Back -	Select M	echanisn	n and Te	ktile		
	A/Com	В	C	D	Ε	F	G	H	I	J
2506JSLPXT	1243	1275	1308	1346	1371	1399	1439	1537	1915	2291
		S	itep 1: Hig	gh Back -	· Select M	lechanisr	n and Te	xtile		
	A/Com	В	C	D	E	F	G	H	I	J
2509JSLPXT	1416	1458	1502	1544	1573	1605	1650	1852	2144	2463

**ECD** 


Pricelist

		St	ep 2: Arms			
No Ai		EP Arms	Grey Arms	4D Arms	FA Arms	CC Arms
-14	3 -81	0	0	0	45	0
			o 3: Seat Size			
Standard	Petil		Tall	Large		Extra Large
18"D x 20"W		18"W 20	0"D x 20"W	19"D x 22"V	V	21"D x 26"W
0	0	CL	194	253		1567
Millian			ep 4: Foam		M	
Molded Seat Foa 0	im Kesili	ent Foam 0	Memory 3	ieat Foam	riemo	ry Seat Foam XL 219
0			djustable Lu	-		215
			able Lumbar S			
			andard Adjusta			
			p 6: Cylinder			
Low	Intermediate	Mid		Stool w/Foot Ri	ng Hig	h Stool w/Foot Rin
3" Range*	4" Range*	5" Rang		8" Range*	ing ing	10" Range*
0	4 Kange 0	0 U	le	158		183
0	0		ep 7: Caster	150		185
Soft Caster	Carp	et Caster		Caster		Glides
0		0	8	-		34
-		-	ep 8: Base	-		
Low Profile		High Profile		rey Base	Polis	ned Aluminum
0		0		135		135
		Step	9: Head Res	st		
	Pillow Head Rest			Ratchet Head F	Rest	
	152			572		
		Step 10	): Other Opti	ons		
ailbone Seat Cul	out	Speci	al Seat or Back			CAL TB133
158			158			108
			(20)			
T			T			T
			2			24
5						DLCT
	GOOD		BETTER			BEST
	1135 ISL DVT A	~	1243	٨	050	1416
	JSLPXT-A		506JSLPXT			9JSLPXT-A
	Seat Size - Foam - Ad	justable Lumbar -	Uylinder – Caste	r – Base – Head Re	st - Other O	ptions
ld						
				<b>_</b>		
Chand	ard Feature	*Saa Daga /	9 For Detailed	llimensions		



## Quest Lite Series -2600 Task Chair

Quest Lite offers all of the outstanding ergonomics and comfort of Quest at a budget friendly price.



		SI	tep 1: Mic	Back -	Select M	lechanis	m and To	extile		
	A/Com	В	C	D	Ε	F	G	H	I	J
2606JSXT	891	939	989	1040	1076	1114	1170	1306	1530	1766
		Sh	en 1. Hia	h Back -	Solort N	lechanis	m and T	ovtilo		
	A/Com	B	C	D D	E	F	G	H	1	J
2609JSXT					1175	1213	1268	1405	1629	1865




-90  Standard 18"D x 20"W 0  Molded Seat Foam 0  Low In	Arms     EP Arm       0     Not Avail       Petite     16"D x 18"W       16"D x 18"W     0       Resilient Foar       Not Available     Ste	able Not Available Step 3: Seat Size Tall 20"D x 20"W Not Available Step 4: Foam m Memory S	e Large 19"D x 22"W Not Available Seat Foam Mem vailable Umbar Support	CC Arms Not Available Extra Large 21"D x 26"W Not Available Not Available
Standard 18"D x 20"W 0 Molded Seat Foam 0	Petite 16"D x 18"W 0 Resilient Foar Not Available Ste	Step 3: Seat Size Tall 20"D x 20"W Not Available Step 4: Foam Memory S Mot Av p 5: Adjustable Lu Adjustable Lumbar S Standard Adjust	e Large 19"D x 22"W Not Available Seat Foam Mem vailable Umbar Support	Extra Large 21"D x 26"W Not Available hory Seat Foam LG and X
18"D x 20"W 0 Molded Seat Foam 0 Low In	16"D x 18"W 0 Resilient Foar Not Available Ste	Tall20"D x 20"WNot AvailableStep 4: FoammMemory SeNot Avp 5: Adjustable Lumbar SAdjustable Lumbar SStandard Adjust	Large 19"D x 22"W Not Available Seat Foam Mem vailable umbar	21"D x 26"W Not Available hory Seat Foam LG and X
18"D x 20"W 0 Molded Seat Foam 0 Low In	16"D x 18"W 0 Resilient Foar Not Available Ste	20"D x 20"W Not Available Step 4: Foam m Memory S e Not Av p 5: Adjustable Lu Adjustable Lumbar S Standard Adjust	19"D x 22"W Not Available Seat Foam Mem vailable umbar Support	21"D x 26"W Not Available hory Seat Foam LG and X
0 Molded Seat Foam 0	0 Resilient Foar Not Available Ste	Not Available Step 4: Foam m Memory S e Not Av p 5: Adjustable Lu Adjustable Lumbar S Standard Adjust	Not Available Seat Foam Mem vailable umbar Support	Not Available
Molded Seat Foam 0 Low In	Resilient Foar Not Available Ste	Step 4: Foam m Memory S e Not Av p 5: Adjustable Lu Adjustable Lumbar S Standard Adjust	Seat Foam Mem vailable Jombar Support	ory Seat Foam LG and X
0 Low In	Not Available Ste	m Memory S e Not Av p 5: Adjustable Lu Adjustable Lumbar S Standard Adjust	vailable umbar jupport	•
0 Low In	Not Available Ste	e Not Av p 5: Adjustable Lu Adjustable Lumbar S Standard Adjust	vailable umbar jupport	•
Low In	Ste	p 5: Adjustable Lu Adjustable Lumbar S Standard Adjust	umbar Support	Not Available
		Adjustable Lumbar S Standard Adjust	upport	
	Itermediate	Standard Adjust	••	
	termediate		table	
	Itermediate	Step of Cylinde		
	itermediate	Mid Low		High Sheel /Each Dir
3" Range"	4" D +		Stool w/Foot Ring	High Stool w/Foot Rin
0	-	" Range* 0	8" Range* 158	10" Range*
0	0	Step 7: Caster		183
Soft Caster	Carpet Caste		g Caster	Glides
34	0	8	-	34
04		Step 8: Base		
Low Profil	e	High Profile		Polished Aluminum
0		0		135
		Step 9: Head Re	st	
Pille	ow Head Rest		Ratchet Head Rest	
	152		572	
	S	tep 10: Other Opti	ions	
Tailbone Seat Cutout		Special Seat or Back		CAL TB133
Not Available		Not Available		Not Available
		T		T
		BETTER		BEST
		891		990
		2606JSXT-4	Δ	2609JSXT-A
Auna Cart	Sizo Form Adiustable			
uild -	•	e Lumbar - Cylinder - C	aster - Dase - Head Ke	si - other options
		• •	<sup>_</sup> <sup>_</sup>	
Standard F	Castura * Saa	Page 49 For Detaile	d Dimensions	



### Renaissance Series -700 Executive Task Chair

The Renaissance series is an example of something good getting even better. Today the Renaissance series with its classic styling and plush feel transcends to being the premier ergonomic executive family of chairs.



			Step 1: H	igh Back	: – Large	Scale S	elect Te	ktile		
711JSLXT	A/Com	В	C	D	Ε	F	G	H	I	J
	2205	2281	2351	2423	2476	2528	2608	2801	3159	3515
			Step 1: H	igh Back	: – Large	Scale S	elect Te	ktile		
711JSLQA	A/Com	В	C	D	Ε	F	G	H	I	J
	2205	2281	2351	2423	2476	2528	2608	2801	3159	3515
				S	tep 2: Ar	ms				

Renaissance has a standard adjustable height ar width loop arm. There is an upholstered option available for \$179 list.



			Step 2:	Arms			
oop Upholstered 179	No Arms -143	AT Arms -81	EP Arms 0	Grey Arms 0	4D Arms 0	FA Arms 45	CC Arms 0
			Step 3: S	eat Size			
Standard		Petite	Tall		Large	Extra	Large
19"D x 19"V	V 16'	'D x 18"W	20"D x 2	0"W 19	"D x 23"W	21"D :	k 26"W
Not Availabl	e Not	Available	Not Avai		0	Not A	vailable
			Step 4:	Foam			
Molded Seat Fo		Resilient Foa	m M	lemory Seat Fo		Memory Seat	Foam LG
Not Availabl	е	0		Not Available		219	
		Ste	ep 5: Adjust	able Lumba	r		
			Adjustable L	umbar Support	t		
				Adustable			
			Step 6: C	Sylinder			
Low	Intermedi	ate	Mid	Low Stool v	v/Foot Ring	High Stool v	w∕Foot Rin
3" Range*	4" Rang	e* !	5" Range*	8" Ra	ange*	10" R	ange*
0	0		0	1	58	1	83
			Step 7:	Caster			
Soft Caster		Carpet Cast	er	<b>Braking Caste</b>	r	Glides	
0		0		81		34	
			Step 8:	Base			
Low Profile	:	High Pro	ofile	Grey Ba	se	Polished Alur	ninum
0		0		135		135	
	D:11 11 1	<b>D</b> :	Step 9: H				
	Pillow Head	Kest		Katch	et Head Res	t	
	152			0.11	572		
<b>T</b> ::!! <b>C</b> : <b>C</b>			Step 10: Oth			0.01 704	
Tailbone Seat C			Special Seat			CAL TBI	33
Not Availabl	e		Not Avai		BEST	108	
					2536		
				711J	SLXT-A OF		R
Arms	- Adjustable Lur	nbar - Cylinde	er - Caster - Ba	se - Head Rest -	Other Options	5	
uild							
Stan	dard Feature	* See	e Page 49 For	· Detailed Dim	ensions		



### Trudeau Series - 1600 Task Chair



37

The Trudeau series captures the best features available all in one chair: memory foam seat, thoracic foam back cushion, great controls, EuroPivot arms that lower to allow the user easy access to the keyboard and a slim, sleek European design for a great look. Trudeau has evolved into one of our best selling series.

#### SNS Control

Simple Single Lever Control. Standard Cylinder is #2. Optional Seat Slider is \$88, 275 Pound Weight Capacity



ver Ijusting ith Seat andard s #2, XT Control Full Function With Independent Seat & Back Angle Adjustment, Integrated Seat Slider. Standard Cylinder is #2, 300 Pound Weight Capacity.

#### Quick Adjust Control with Standard Seat Slider and Side

Quick Adjust Control with Standard Seat Slider and Side Tension Adjustment. Standard Cylinder is #2, 300 Pound Weight Capacity.

			Step 1: M	id Back -	Select M	lechanisı	m and Te	xtile		
	A/Com	B	C	D	E	F	G	H	I	J
1606SNS	1057	1090	1125	1161	1185	1216	1252	1355	1729	2105
1606JSLT	1122	1155	1191	1225	1252	1281	1319	1420	1796	2171
1606JSXT	1175	1208	1243	1279	1304	1334	1371	1471	1848	2223
1606JSQA	1175	1208	1243	1279	1304	1334	1371	1471	1848	2223
			Step 1: Hi	gh Back -	- Select N	1echanis	m and Te	extile		
	A/Com	В	C	D	Ε	F	G	H	I	J
1609SNS	1184	1229	1270	1312	1342	1375	1422	1534	1884	2231
1609JSLT	1250	1291	1336	1376	1407	1441	1487	1601	1949	2297
1609JSXT	1301	1347	1389	1429	1460	1492	1540	1652	2002	2349
1609JSQA	1301	1347	1389	1429	1460	1492	1540	1652	2002	2349

www.ecdergo.com



			ep 2: Arms			
No A -14		EP Arms	Grey Arms	4D Arms 0	FA Arms 45	CC Arms 0
-14	43 -61	0 Stel	p 3: Seat Siz	-	45	0
Standard	Petit		Tall	Large		Extra Large
18"D x 20"W		-	"D x 20"W	19"D x 22"\	N	21"D x 26"W
0	0		194	253		1567
		St	ep 4: Foam			
Molded Seat Fo	am Resilie	ent Foam	Memory S	ieat Foam	Memo	ory Seat Foam XL
0		0	(	)		219
		Step 5: A	Adjustable Lu	umbar		
		Adjust	able Lumbar S	upport		
			142			
		Ste	p 6: Cylinde	r		
Low	Intermediate	Mid	Low	Stool w/Foot Ri	ing Hig	gh Stool w/Foot Rin
3" Range*	4" Range*	5" Rang	e*	8" Range*		10" Range*
0	0	0		158		183
		St	ep 7: Caster			
Soft Caster	Carpe	et Caster	Braking	Caster		Glides
0		0	8	1		34
			tep 8: Base			
Low Profile	ŀ	ligh Profile	G	rey Base	Polis	hed Aluminum
0		0		135		135
		Step	o 9: Head Re			
	Pillow Head Rest			Ratchet Head	Kest	
	152			572		
			0: Other Opti	ions		
ailbone Seat Cu	tout	<b>Specia</b>	al Seat or Back			CAL TB133
158			158			108
	T		TT			T
	i de la companya de l					
	GOOD		BETTER			BEST
	1057		1122			1443
160	06SNS-A		1606JSLT-A	١	1609	JSXT-A OPAL
	Seat Size - Foam - Ad	justable Lumbar -				
d -			-			
	lard Feature	* See Page 4				



## Tuscany Series - 2800 Executive/Conference Chair

The Tuscany collection boldly incorporates classic design and extraordinary yet highly functional ergonomic features making these office chairs perfect for executive or conference room settings.



Syncro Control Side Tension Syncro Control with 2:1 Tilt. Standard Cylinder is #2, 300 Pound Weight Capacity.

2816-	BLK	LGR	DGR							
	1040	1040	1040							
	A/Com	В	C	D	Ε	F	G	H	I	J
2816	1585	1636	1695	1754	1800	1860	1919	2080	2278	2922
			Ste	p 1: High	Back - S	Select Te	xtile			
2819-	BLK	LGR	DGR							
	1099	1099	1099							
	A/Com	В	С	D	Е	F	G	Н	I	J
2819	1644	1697	1760	1822	1866	1927	1990	2156	2360	3022
			S	Step 1: Gu	iest - Se	lect Text	ile			
2812G-	BLK	LGR	DGR							
	719	719	719							
	A/Com	В	C	D	Ε	F	G	Н	I	J
2812	1378	1430	1491	1551	1595	1657	1717	1880	2095	2734

Tuscany comes standard with a polished aluminum "C" arm.

**ECD** 

Pricelist

		Ste	p 2: Arms			
No Arm -143	ns AT Arms -81	EP Arms 0	Grey Arms 0	4D Arms 0	FA Arms 45	CC Arms 0
		Step	3: Seat Size			
Standard	Petite	9	Tall	Large		Extra Large
19"D x 19"W	16"D x 1	8"W 20	"D x 20"W	19"D x 22	"W	21"D x 26"W
0	Not Avail		t Available	Not Availa	ble	Not Available
			p 4: Foam			
Molded Seat Foam		nt Foam	-	Seat Foam	•	Seat Foam LG and X
Not Available	Not A	vailable		)	N	lot Available
			ljustable Lu			
			able Lumbar S	••		
			Not Availabl			
	1 1 1 1		6: Cylinder		D: !!!	
Low	Intermediate	Mid		Stool w/Foot	King Hig	gh Stool w/Foot Rin
3" Range*	4" Range*	5" Rang	je*	8" Range*		10" Range*
0	0	0 Cha		158		183
Soft Caster	Carpo	Ste t Caster	p 7: Caster Braking	Caster		Glides
0	•	0	Вакіїв			34
0		-	ep 8: Base	1		54
Low Pr	ofile	Ju	High Profile		Polis	hed Aluminum
0			0			0
		Step	9: Head Res	st		
	Pillow Head Rest			Ratchet Head	Rest	
	Not Available			Not Availa	ble	
		Step 10	: Other Optio	ons		
Tailbone Seat Cuto	ut	Specia	al Seat or Back			
Not Available		No	t Available			
ĥ	DOD		BETTER			BEST
	19		1040			1099
	G-BLK		2816-BLK			2819-BLK
	linder - Caster - Ba	se - Other Optio			-	
Standar	rd Feature	* See Page 4	49 For Detaile	d Dimensions	5	
ww.ecdergo.com		140 6+=!!== 6		na, CA 92883		951.27



### Variant Series - 3000 Executive Chair

Beautiful styling combined with superior functionality and ergonomic comfort, Variant is particularly distinguished by a simple and sharp design in tune with contemporary demands. Variant's synthesis of cutting-edge design and first-rate technology will revitalize your office space.



Syncro Control Side Tension Syncro

Control with 2:1 Tilt and Integrated Seat Slide. Standard Cylinder is #2, 300 Pound Weight Capacity.

				Step	<u>l: All Mes</u>	<u>sh Chair</u>				
	Mesh									
3009-BLK	1358									
		Ste	p 1 Mest	n Back - T	Textile S	ieat Chai	r, Select	: Textile		
	A/Com	В	C	D	Ε	F	G	H	I	J
3009	1520	1539	1581	1618	1646	1674	1717	1818	1882	2259



### Step 2: Arms

Variant has standard arms with height adjustment and pivot with integrated paddles for back lock and seat height adjustment. Because of this, there are no other arm options for Variant.


		Step 3: Seat	other arm options for	
Standard	Petite	Tall		Futue Lenge
19"D x 19"W	16"D x 18"W	20"D x 20"V	<b>Large</b> V 19"D x 22"W	<b>Extra Large</b> 21"D x 26"W
13 D X 13 W	Not Available	Not Available		
ŷ	Not / Wallable	Step 4: Foa		
Molded Seat Foa	m Resilient Foa			lemory Seat Foam LG and XL
Not Available	With Upholstere		114	Not Available
	Ste	ep 5: Adjustabl	e Lumbar	
		Adjustable Lumb	oar Support	
		Standard Int	egrated	
		Step 6: Cyliı	nder	
Low	Intermediate	Mid	Low Stool w/Foot Rir	ng High Stool w/Foot Ring
3" Range*	4" Range*	5" Range*	8" Range*	10" Range*
0	0	0	158	183
		Step 7: Cas	ster	
Soft Caster	Carpet Cast	er Bra	aking Caster	Glides
0	0		81	34
		Step 8: Ba		
Low P		High Pro	file	Polished Aluminum
0	)	0 Chan O Llaga	Deel	0
	Variant Head Rest	Step 9: Head	Rest	
	103			
		Step 10: Other	Options	
ailbone Seat Cut		Special Seat or I		CAL TB133
Not Available		Not Available		56
			<u> </u>	
		BETTE	ER	BEST
		1358	3	1461
		3009-E	SLK	3009-BLK OPHR
Cylinder	r - Caster - Base - Head Re	st - Other Options		
ld				
Stand	ard Feature * Se	e Pare 49 For Ne	tailed Dimensions	
Jailua		ei age toi ui De		



### Vive Series - 1300 Task Chair



Vive brings unparalleled comfort and function to the working environment. Never has an ergonomic series combined correct foam and form with mechanisms which support the body in multiple positions.



		St	ep 1: Mic	Back -	Select M	echanis	m and Te	extile		
	A/Com	В	C	D	Ε	F	G	H	I	J
1306SNS	831	871	920	971	1006	1044	1099	1235	1442	1687
1306JSLT	894	937	985	1034	1070	1107	1162	1298	1505	1750
1306JSXT	946	987	1035	1086	1122	1159	1214	1349	1556	1802
1306JSQA	946	987	1035	1086	1122	1159	1214	1349	1556	1802
		St	ep 1: Higl	h Back -	Select N	1echanis	im and T	extile		
	A/Com	В	C	D	Ε	F	G	H	I	J
1309SNS	909	951	1000	1049	1086	1123	1179	1312	1521	1767
1309JSLT	972	1015	1064	1115	1150	1186	1242	1376	1585	1830
1309JSXT	1023	1067	1115	1165	1201	1238	1294	1427	1636	1881
1309JSQA	1023	1067	1115	1165	1201	1238	1294	1427	1636	1881



	AT 4		ep 2: Arms	(D.4	<b>FA A</b>	00.4
No A -6		EP Arms 81	Grey Arms 81	4D Arms 81	FA Arms 126	CC Arms 81
			o 3: Seat Siz		120	01
Standard	Petite		Tall	Large		Extra Large
18"D x 20"W	/ 16"D x 18	3"W 20	"D x 20"W	19"D x 22	2"W	21"D x 26"W
0	0		194	253		1567
		Ste	ep 4: Foam			
Molded Seat For	am Resilier	nt Foam	•	eat Foam	Memory	Seat Foam LG and 2
0		0		14		219
			djustable Li			
		Adjust	able Lumbar S	upport		
			142			
		Ste	o 6: Cylinde			
Low	Intermediate	Mid	Low	Stool w/Foot	Ring Hig	h Stool w/Foot Rin
3" Range*	4" Range*	5" Rang	je*	8" Range*		10" Range*
0	0	0		158		183
			ep 7: Caster			
•		Caster	-	Caster		Glides
0		0	8	1		34
			ep 8: Base			
Low Profile	Hi	gh Profile	G	rey Base 135	Polis	hed Aluminum
0		0 Stop	9: Head Re			135
	Pillow Head Rest	Jlep	9: neau ke	SL Ratchet Hea	d Rest	
	152			572	uncsc	
	152	Sten 16	): Other Opt			
ailbone Seat Cu	tout		al Seat or Back			CAL TB133
158			158			108
						P8848
т	Т		T			T
I			T			
6						
(	300D		BETTER			BEST
	831		894			1023
130	6SNS-A		1306JSLT-/	Ą	13	309JSXT-A
Arms	Seat Size - Foam - Ad	justable Lumba	ar - Cylinder - C	aster - Base - H	lead Rest - O	ther Options
ATTIS -						-

# Preconfigured Conference Seating



ECD offers an outstanding array of task seating which can easily be configured into great conference seating. The chairs below are examples of wonderful task chairs configured into simple, yet extraordinarily comfortable conference seating.

#### SNS Control

Simple Single Lever Control. Standard Cylinder is #2. Optional Seat Slider is \$88, 275 Pound Weight Capacity

				Tusca	any Conf	erence				
	BLK	LGR	DGR							
2816C-BLK	874	874	874							
	A/Com	В	C	D	Ε	F	G	H	I	J
2816C	1421	1472	1532	1591	1634	1694	1753	1917	2111	2756
	BLK	LGR	DGR							
2819C-BLK	910	910	910							
	A/Com	В	С	D	Е	F	G	н	I	J
2819C	1455	1508	1570	1632	1677	1738	1801	1965	2169	2832
				QT	Confer	ence				
	A/Com	В	C	D	Ε	F	G	H	I	J
2916C	799	818	859	896	923	950	993	1092	1155	1527

			Ρι	Jrsue Bl	ack Mes	h Confei	rence			
3606C	A/Com	В	C	D	E	F	G	Н	I	J
	665	683	725	761	789	817	858	959	1021	1392
			Р	ursue Gi	rey Mesł	n Confer	ence			
3706C	A/Com	В	C	D	E	F	G	Н	I	J
	665	683	725	761	789	817	858	959	1021	1392

46



Component Pric	ce List	List Pr	ice				
Arms and Arm Pads							
C-300-01 R/L	Modern T Arm, Up & Down, Specify Right or Left, Does Not Include Arm Pad	37	EA				
C-300-02	Width Adjustment Bracket	15	EA				
C-300-17 R/L	Fold-Away Arm, Specify Right or Left, Does Not Include Arm Pad	86	EA				
C-300-2 R/L	EuroPivot Arm, Specify Right or Left, Does Not Include Arm Pad	86	EA				
C-300-01	Arm Pad for Modern T Arm	20	EA				
C-300-06	Silhouette Arm Pad – Compatible with EuroPivot and Fold–Away	22	EA				
C-300-4D R/L	4D Arm, Specify Right or Left, Includes Arm Pad	96	EA				
C-300-CC R/L	Conference C Arm, Specify Right or Left	78	EA				
C-300-AL R/L	Aluminum Conference C Arm, Specify Right or Left	274	EA				
	Cylinders and Foot Ring						
A-100-29	#1 Cylinder, 3" Travel – Low	60	EA				
A-100-30	#2 Cylinder, 4" Travel -Intermediate	60	EA				
A-100-25	#3 Cylinder, 5" Travel - Mid	60	EA				
A-100-32	#4 Cylinder, 8" Travel – Low Stool	86	EA				
A-100-35	#5 Cylinder, 10" Travel – High Stool	96	EA				
A-100-34	Heavy Duty Cylinder	86	EA				
A-100-45	20" Diameter Foot Ring	150	EA				
B-200-16	Controls Extra Heavy Duty Control For Up To 450 Pound Applications	642	EA				
B-200-20C	XT Control With Seat Slider	279	EA				
B-200-20C B-200-20Y	XT Control With Seat Slider without Seat Slider	246	EA				
B-200-20Q	QA Control with Seat Slider	279	EA				
B-200-13	LT Control With Seat Slider	129	EA				
B-200-21A	SNS Control	107	EA				
B-200-37	Seat Slider	75	EA				
	Casters						
A-100-0	50mm Hooded Carpet Caster	10	EA				
A-100-02	50mm Hard Floor Braking Casters	38	EA				
A-100-05	60mm Soft Casters For Hard Floor	14	EA				
A-100-05A	60mm Carpet Casters	14	EA				
A-100-10	38mm Glide	21	EA				
	Bases						
A-100-15	Plastic Low Base	105	EA				
A-100-16A	Polished Aluminum High Base	195	EA				
A-100-20	Plastic High Base	105	EA				
A-100-15B	Heavy Duty Base	135	EA				



Component l	Price List – Continued	List Pr	ice
Seats – F	Prices Below Are Grade A and B Only, Please Call For Pricing on	Other Tex	xtiles
S200MW	Standard Seat for Maxwell - Being Discontinued	337	EA
S20018	Petite Seat for Alexis, Lab Pro, Lagos, Pursue, QT, QTU, Quest Lite, Vive	337	EA
S200	Standard Seat for Alexis	337	EA
S2100	Standard Seat for Lab Mini	240	EA
S5800	Standard Seat for Kyos	163	EA
S500LS	Seat for Metropolis Large and Extra Large	473	EA
S700LS	Large Seat for Renaissance	590	EA
S2500	Standard Seat for Quest	420	EA
S2500P	Petite Seat for Quest	420	EA
S1600	Standard Seat for Trudeau	420	EA
S1600P	Petite Seat for Trudeau	420	EA
S3150	Seat for Logixx	437	EA
S4600	Seat for Lagos	342	EA
S6800	Seat Cover for InMotion	258	EA

Backs – Pr	ices Below Are Grade A and B Only, Please Call For Pricing on Ot	her Textiles
BK20018	Petite Back for Alexis, Lab Pro	338 EA
BK200JSLB	Low Back for Alexis	373 EA
BK200JSMB	Mid Back for Alexis	420 EA
BK200JSHB	High Back for Alexis	440 EA
BK300MB	Mid Back for Vive	430 EA
BK300HB	High Back for Vive	476 EA
BK500LSHB	Back for Metropolis	485 EA
BK2100	Back for Lab Mini	245 EA
BK700HB	High Back for Renaissance with Integrated Adjustable Lumbar Support	875 EA
BK1600MB	Mid Back for Trudeau	420 EA
BK1600HB	High Back for Trudeau	440 EA
BK2500MB	Mid Back for Quest & Quest Lite with Integrated Adjustable Lumbar Support	565 EA
BK2500HB	High Back for Quest & Quest Lite with Integrated Adjustable Lumbar Support	585 EA
BK2900	Back for QT	280 EA
BK3150	Back for Logixx	450 EA
BK3900	Back for QTU	525 EA
BK3600	Back for Pursue - Black Mesh	178 EA
BK3700	Back for Pursue - Grey Mesh	178 EA
BK4600	Back for Lagos – Black Frame	440 EA
BK4700	Back for Lagos - Grey Frame	505 EA
BK5800	Back for Kyos	163 EA

### Dimensions

Back Dimensions - chairs are listed by model number in alphabetical order

Chair	Model	Back Height	<b>Back Width</b>
Alexis Low Back	202	18"	20"
Alexis Mid Back	206	21"	20"
Alexis High Back	209	24"	20"
InMotion	6800	35" overall	23.5"
Kyos	5800	31.5" overall	23.5"
Lab Mini	2200	11"	18"
Lab Pro	2300	18"	20"
Lagos	4606/4706	24"	18"
Logixx	3150	24.75"	20.75"
Metropolis Large	506	23"	21"
Metropolis Extra Large	509	23"	21"
Pursue	3606/3706	23"	17.5"
QT	2906	21"	19"
QTU	3906	21"	19"
Quest Low Back	2502	18"	20"
Quest Mid Back	2506	22"	20"
Quest High Back	2509	24"	20"
Quest Lite Mid Back	2606	22"	20"
Quest Lite High Back	2609	24"	20"
Renaissance High Back	711	30"	21"
Trudeau Mid Back	1606	21"	21"
Trudeau High Back	1609	26"	21"
Tuscany Mid/Guest	2812/2816	24"	19.5"
Tuscany High Back	2819	30"	19.5"
Variant	3009	23"	19.5"
Vive Mid Back	1306	22"	20"
Vive High Back	1309	24"	20"



### Arm Types



AT Arm Height adjustable with available width adjustment.



EP (Euro Pivot Arm) 360 button controlled pivoting arm pad with height and width adjustments



4D (4 Directional Arm) Height and width adjustable with pivoting arm cap. Arm cap also moves forward and backward in and out.



#### CC (Conference Arm) Padded urethane conference ( Arm



FA (Fold Away Arm) Fold away arm with height and width adjustments.



# Logixx Arm

Height and width adjustable arn cap. Arm cap also moves forward and backward in and out.




### Variant Arm

Three position arm pad pivot, and rachet style height adjustment




#### **Polished Arm**

Polished aluminum arm with urethane insert





#### CONTROLS



### XT CONTROL FEATURES -Back Angle -Seat Slider -Seat Height -Micro Pitch -Chair Tilt -Tilt Resistance

300lbs Capacity

275 lbs Capacity

LT CONTROL FEATURES

SNS CONTROL FEATURES

**SNS CONTROL** 

-Syncro Tilt

-Seat Height -Tilt Resistance

LT CONTROL

-Syncro Tilt -Seat Height

-Seat Slider



#### BACK ANGLE Adjusts back angle



#### SEAT HEIGHT Increases/decreases sea height



### SEAT SLIDER

Increases/decreases sea depth




CHAIR TILT Adjusts seat angle



# SYNCRO TILT

Locks/unlocks 2:1 Syncro tilt.



QA CONTROL

QA CONTROL FEATURES -Syncro Tilt -Tilt Resistance -Seat Height -Seat Slider

300 lbs Capacity

300 lbs Capacity



HEAVY DUTY CONTROL HD CONTROL FEATURES -Back Angle -Tilt Resistance -Seat Slider -Seat Height

450lbs Capacity



#### FORWARD MICRO PITCH

Increases/decreases forward tilt of the seat pan



### TILT RESISTANCE

Increases/decreases tilt resistance

**ECD** 

	Cylinder Heights				
Series	Low	Intermediate	Mid	Low Stool	High Stool
Alexis-200SNS	14.75	15.75	16.75	20.75	23.25
Alexis-200JSLT	14.75	15.75	16.75	20.75	23.25
Alexis-200JSXT	17	18	19	23	25.5
Alexis-200JSQA	15.75	16.75	17.75	21.75	24.25
InMotion-6802	16.5	17.5	18.5	22.5	25
Kyos-5800	Х	Х	Х	Х	х
Lab Mini-2200 JSLT	14.75	15.75	16.75	20.75	23.25
Lab Mini-2200 JSXT	17	18	19	23	25.5
Lab Pro-2300 JSLT	14.75	15.75	16.75	20.75	23.25
Lab Pro-2300 JSXT	17	18	19	23	25.5
Lagos-46/4700JSLT	17.5	18.5	20.5	24.5	27
Lagos-46/4700JSQA	х	18	19.25	24.25	26.75
Logixx-3150	17	18	19	23	25.5
Metropolis-506	16.25	17.25	18.25	22.25	24.75
Metropolis-509	Х	20.5 -24.5	Х	Х	х
Pursue-36/3700SNS	16.5	17.5	18.5	22.5	25
Pursue-36/3700JSLT	16.5	17.5	18.5	22.5	25
Pursue-36/3700JSQA	17.5	18.5	19.5	23.5	26
QT/QTU-29/3900SNS	15.25	16.25	17.25	21.25	23.75
QT/QTU-29/3900JSLT	15.25	16.25	17.25	21.25	23.75
QT/QTU-29/3900JSXT	16.75	17.75	18.75	22.75	25.25
QT/QTU-29/3900JSQA	16.25	17.25	18.25	22.25	24.75
Quest-2500JSLPXT	17	18	19	23	25.5
Quest Lite-2600JSXT	16.75	17.75	18.75	22.75	25.25
Renaissance-700JSLXT	16.75	17.75	18.75	22.75	25.25
Trudeau-1600SNS	14.75	15.75	16.75	20.75	23.25
Trudeau-1600JSLT	14.75	15.75	16.75	20.75	23.25
Trudeau-1600JSXT	17	18	19	23	25.5
Trudeau-1600JSQA	15.75	16.75	17.75	21.75	24.25
Tuscany-2800	17	18	19	23	25.5
Variant-3000	х	18	20	23	25.5

	Cylinder Heights Continued				
Series	Low	Intermediate	Mid	Low Stool	High Stool
Vive-1300SNS	15.25	16.25	17.25	21.25	23.75
Vive-1300JSLT	15.25	16.25	17.25	21.25	23.75
Vive-1300JSXT	16.75	17.75	18.75	22.75	25.25
Vive-1300JSQA	16.25	17.25	18.25	22.25	24.75

		Cylinder Rang	e	
Low	Intermediate	Mid	Low Stool	High Stool
3"	4"	5"	8"	10"

Notes



951-277-1558 951-277-2880 ecdergo.com 9140 Stellar Court #B Corona, Ca 92883